

## Usage Guideline

# Corporate Action Instruction Cancellation Request Status Advice seev.041.001.15

## DTCC - US - CA - Voluntary Reorg Instructions - SR 2026

This document describes a usage guideline restricting the base message **MX seev.041.001.15**. You can also consult [this information online](#).

Published by DTCC Corporate Actions Transformation (DTCC) and generated by [MyStandards](#).

02 April 2026

# Table of Contents

<b>Message Functionality .....</b>	<b>3</b>
<b>1    Restriction summary .....</b>	<b>4</b>
<b>2    Structure .....</b>	<b>5</b>
<b>3    ISO 20022 Rules .....</b>	<b>7</b>
<b>4    Message Building Blocks .....</b>	<b>8</b>
<b>5    Message Components .....</b>	<b>13</b>
<b>6    Message Datatypes .....</b>	<b>78</b>
<b>Legal Notices .....</b>	<b>152</b>

## Message Functionality

### Overview

Used to notify the DTCC Participant of an outcome in the event that instruction cancellation was received.

### Collection Description

### Outline

The DTCC - US - CA - Voluntary Reorg Instructions - SR 2026 / Corporate Action Instruction Cancellation Request Status Advice seev.041.001.15 message is composed of 8 building blocks

- a. InstructionCancellationRequestIdentification  
Identification of a related instruction cancellation request document.
- b. OtherDocumentIdentification  
Identification of other documents as well as the document number.
- c. CorporateActionGeneralInformation  
General information about the corporate action event.
- d. InstructionCancellationRequestStatus  
Provides information about the processing status of the instruction cancellation request.
- e. CorporateActionInstruction  
Information about the corporate action option.
- f. ProtectInstruction  
Provides detailed information on protect and cover protect instructions.
- g. AdditionalInformation  
Provides additional information.
- h. SupplementaryData  
Additional information that can not be captured in the structured fields and/or any other specific block.

# 1 Restriction summary








This Usage Guideline restricts the seev.041.001.15 message.

Restriction Type	See page
Removed elements	9, 19, 21, 22, 26, 26, 27, 27, 28, 30, 38, 38, 38, 38, 38, 39, 39, 39, 39, 39, 48, 50, 52, 56, 57, 65, 65, 66, 66, 67, 68, 69, 75, 77, 81, 81, 81, 81, 82, 82, 83, 83, 83, 83, 85, 85, 85, 85, 86, 86, 86, 86, 87, 87, 88, 88, 88, 88, 89, 90, 90, 90, 90, 92, 92, 93, 93, 93, 94, 94, 94, 95, 95, 95, 95, 96, 96, 96, 97, 97, 97, 98, 98, 106, 106, 106, 110, 110, 111, 111, 111, 112, 113, 125, 125, 125, 125, 128, 128, 128, 150, 150, 150
Make mandatory	n.a.
Reduce Multiplicity	n.a.
Ignore	n.a.
Text rules	8, 8, 31, 37, 38, 41, 42, 43, 47, 49, 51, 66, 70, 92, 111, 127, 127, 128, 129, 129
Conditional rules	n.a.
Formal rules	n.a.
Fixed values	n.a.
Truncates	n.a.
Comments	8, 20, 21, 21, 25, 25, 27, 49, 49, 84, 84, 87, 89, 91, 91, 97, 107, 108, 108, 109, 109, 110, 112, 112, 113
Annotations	n.a.
Changed datatypes	16, 18, 20, 20, 21, 22, 22, 26, 27, 30, 33, 33, 34, 36, 36, 37, 37, 37, 37, 37, 38, 38, 38, 38, 38, 39, 39, 39, 39, 39, 41, 41, 41, 41, 42, 42, 42, 42, 42, 42, 42, 42, 42, 42, 43, 43, 43, 43, 43, 44, 44, 45, 45, 45, 46, 47, 53, 53, 54, 58, 59, 59, 59, 59, 60, 60, 60, 60, 60, 60, 60, 61, 62, 64, 70, 73, 75
Extensions	n.a.
Synonyms	8, 20, 20, 21, 25, 25, 27, 49, 49, 54, 92, 94, 106, 107, 107, 107, 107, 107, 107, 108, 108, 109, 109, 110, 112, 112, 113

## 2 Structure

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>CorporateActionInstructionCancellation-RequestStatusAdviceV15</i>	<CorpActnInstrCxlReqStsAdv-vc>		[1..1]	<span style="color: orange;">⚠</span>	8
	<b>InstructionCancellationRequestIdentification</b>	<InstrCxlReqId>		[0..1]	<span style="color: orange;">⚠</span>	8
	Identification	<Id>		[1..1]	<span style="color: orange;">⚠</span>	34
	<b>OtherDocumentIdentification</b>	<OthrDocId>		[0..*]	<span style="color: red;">⊘</span>	8
	Identification	<Id>		[1..1]		32
	DocumentNumber	<DocNb>		[0..1]		32
	<b>CorporateActionGeneralInformation</b>	<CorpActnGnlInf>		[1..1]		9
	CorporateActionEventIdentification	<CorpActnEvtId>		[1..1]	<span style="color: orange;">⚠</span>	20
	OfficialCorporateActionEventIdentification	<OffclCorpActnEvtId>		[0..1]	<span style="color: orange;">⚠</span>	20
	ClassActionNumber	<ClssActnNb>		[0..1]	<span style="color: red;">⊘</span> <span style="color: orange;">⚠</span>	21
	EventType	<EvtTp>		[1..1]	<span style="color: orange;">⚠</span>	21
	<b>InstructionCancellationRequestStatus</b>	<InstrCxlReqSts>		[1..*]		9
	CancellationCompleted	<CxlCmpltd>	{Or	[1..1]	<span style="color: red;">⊘</span>	48
	Accepted	<Accptd>	Or	[1..1]	<span style="color: orange;">⚠</span>	48
	Rejected	<Rjctd>	Or	[1..1]	<span style="color: orange;">⚠</span>	49
	PendingCancellation	<PdgCxl>	Or	[1..1]		49
	ProprietaryStatus	<PrtrySts>	Or}	[1..1]	<span style="color: red;">⊘</span>	50
	<b>CorporateActionInstruction</b>	<CorpActnInstr>		[0..1]		10
	OptionNumber	<OptnNb>		[1..1]	<span style="color: orange;">⚠</span>	24
	OptionType	<OptnTp>		[1..1]	<span style="color: orange;">⚠</span>	25
	OptionFeatures	<OptnFeatrs>		[0..1]	<span style="color: red;">⊘</span>	25
	AccountOwner	<AcctOwnr>		[0..1]	<span style="color: red;">⊘</span>	26
	SafekeepingAccount	<SfkpgAcct>		[0..1]	<span style="color: orange;">⚠</span>	26
	BlockchainAddressOrWallet	<BlckChainAdrOrWlt>		[0..1]	<span style="color: red;">⊘</span> <span style="color: orange;">⚠</span>	27
	CashAccount	<CshAcct>		[0..1]	<span style="color: red;">⊘</span>	27
	SafekeepingPlace	<SfkpgPlc>		[0..1]	<span style="color: red;">⊘</span>	28

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstrumentIdentification	<FinInstrmId>		[0..1]		28
	TotalEligibleBalance	<TtlElgblBal>		[0..1]		28
	InstructedBalance	<InstdBal>		[0..1]		29
	UninstructedBalance	<UinstdBal>		[0..1]		29
	ProtectBalance	<PrctctBal>		[0..1]		29
	StatusQuantity	<StsQty>		[0..1]		30
	StatusCashAmount	<StsCshAmt>		[0..1]	 	30
	<b>ProtectInstruction</b>	<PrctctInstr>		[0..1]		11
	TransactionType	<TxTp>		[1..1]		63
	ProtectTransactionStatus	<PrctctTxSts>		[0..1]		63
	TransactionIdentification	<TxId>		[0..1]		63
	ProtectDate	<PrctctDt>		[0..1]		64
	UncoveredProtectQuantity	<UcvrdPrctctQty>		[0..1]		64
	<b>AdditionalInformation</b>	<AddtlInf>		[0..1]		11
	AdditionalText	<AddtlTxt>		[0..*]		22
	PartyContactNarrative	<PtyCtctNrrtv>		[0..*]	 	22
	<b>SupplementaryData</b>	<SplmtryData>		[0..*]		11
	PlaceAndName	<PlcAndNm>		[0..1]		77
	Envelope	<Envlp>		[1..1]		77

## 3 ISO 20022 Rules

### R1 AdditionalInformationRule

All elements in the AdditionalInformation sequence must not contain information that can be provided in a structured field unless bilaterally agreed.

Error handling: Undefined

### R2 BeneficialOwnerBreakdownRequestRule ✓

If CorporateActionInstruction/OptionType/Code value is BOBD (BeneficialOwnerBreakdownRequest), then CorporateActionGeneralInformation/EventType/Code value must be WTRC (Withholding Tax Relief Certification).

(MT567 NVR C6)

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00487
- *Error Text:* Invalid message contents for CorporateActionGeneralInformation/EventType/Code. It must be WTRC.

## 4 Message Building Blocks

**Note** The following chapter identifies the building blocks of the DTCC - US - CA - Voluntary Re-org Instructions - SR 2026 / Corporate Action Instruction Cancellation Request Status Advice seev.041.001.15 message definition.

### Usage Guideline on Root Node

- on seev.041.001.15/
  - **Market Practice Usage Rule:**

Used to notify the DTCC Participant of an outcome in the event that instruction cancellation was received.
- on seev.041.001.15/
 

**Synonym (DTCC):** Election Withdrawal Response

### 4.1 InstructionCancellationRequestIdentification

*XML Tag:* InstrCxlReqId

*Presence:* [0..1]

*Definition:* Identification of a related instruction cancellation request document.

The **InstrCxlReqId** block contains the following elements (see datatype "[DocumentIdentification9\\_1](#)" on page 33 for details)

Removed - 
 Partial Removed - 
 Ignored - 
 Partial Ignored - 
 Details below - 
 Mandatory - 
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		34

### Usage Guideline details

- on seev.041.001.15/InstructionCancellationRequestIdentification
  - **Market Practice Implementation Rule:**

BusinessMessageIdentifier of the received instruction cancellation.
- on seev.041.001.15/InstructionCancellationRequestIdentification
 

**Comment:**  
Business Message Identifier of the Cancel Request Instruction

### 4.2 OtherDocumentIdentification







*XML Tag:* OthrDocId



*Presence:* [0..\*]

*Definition:* Identification of other documents as well as the document number.

The **OthrDocId** block contains the following elements (see datatype "[DocumentIdentification33\\_1](#)" on page 31 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		32
	DocumentNumber	<DocNb>		[0..1]		32

#### Usage Guideline details

- This element(seev.041.001.15/OtherDocumentIdentification) is removed.







## 4.3 CorporateActionGeneralInformation






*XML Tag:* CorpActnGnlInf

*Presence:* [1..1]

*Definition:* General information about the corporate action event.

The **CorpActnGnlInf** block contains the following elements (see datatype "[CorporateActionGeneralInformation182\\_1](#)" on page 19 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CorporateActionEventIdentification	<CorpActnEvtId>		[1..1]		20
	OfficialCorporateActionEventIdentification	<OffclCorpActnEvtId>		[0..1]		20
	ClassActionNumber	<ClssActnNb>		[0..1]	 	21
	EventType	<EvtTp>		[1..1]		21

## 4.4 InstructionCancellationRequestStatus





*XML Tag:* InstrCxlReqSts

*Presence:* [1..\*]

*Definition:* Provides information about the processing status of the instruction cancellation request.

The **InstrCxlReqSts** block contains the following elements (see datatype "[InstructionCancellationRequestStatus21Choice\\_1](#)" on page 47 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CancellationCompleted	<CxlCmpltd>	{Or	[1..1]		48
	Accepted	<Accptd>	Or	[1..1]		48
	Rejected	<Rjctd>	Or	[1..1]		49
	PendingCancellation	<PdgCxl>	Or	[1..1]		49
	ProprietaryStatus	<PrtrySts>	Or}	[1..1]		50







## 4.5 CorporateActionInstruction












*XML Tag:* CorpActnInstr

*Presence:* [0..1]

*Definition:* Information about the corporate action option.

The **CorpActnInstr** block contains the following elements (see datatype "CorporateActionOption239\_1" on page 22 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OptionNumber	<OptnNb>		[1..1]		24
	OptionType	<OptnTp>		[1..1]		25
	OptionFeatures	<OptnFeatrs>		[0..1]		25
	AccountOwner	<AcctOwnr>		[0..1]		26
	SafekeepingAccount	<SfkpgAcct>		[0..1]		26
	BlockChainAddressOrWallet	<BlckChainAdrOrWllt>		[0..1]	 	27
	CashAccount	<CshAcct>		[0..1]		27
	SafekeepingPlace	<SfkpgPlc>		[0..1]		28
	FinancialInstrumentIdentification	<FinInstrmId>		[0..1]		28
	TotalEligibleBalance	<TtlElgblBal>		[0..1]		28
	InstructedBalance	<InstdBal>		[0..1]		29
	UninstructedBalance	<UinstdBal>		[0..1]		29
	ProtectBalance	<PrtctBal>		[0..1]		29
	StatusQuantity	<StsQty>		[0..1]		30
	StatusCashAmount	<StsCshAmt>		[0..1]	 	30

## 4.6 ProtectInstruction

*XML Tag:* PrtctInstr

*Presence:* [0..1]

*Definition:* Provides detailed information on protect and cover protect instructions.

The **PrtctInstr** block contains the following elements (see datatype "[ProtectInstruction4\\_1](#)" on page 63 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TransactionType	<TxTp>		[1..1]		63
	ProtectTransactionStatus	<PrtctTxSts>		[0..1]		63
	TransactionIdentification	<TxId>		[0..1]	<span style="color: orange;">⚠</span>	63
	ProtectDate	<PrtctDt>		[0..1]		64
	UncoveredProtectQuantity	<UcvrdPrtctQty>		[0..1]		64

## 4.7 AdditionalInformation

*XML Tag:* AddtlInf

*Presence:* [0..1]

*Definition:* Provides additional information.

The **AddtlInf** block contains the following elements (see datatype "[CorporateActionNarrative10\\_1](#)" on page 22 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AdditionalText	<AddtlTxt>		[0..*]	<span style="color: orange;">⚠</span>	22
	PartyContactNarrative	<PtyCtctNrrtv>		[0..*]	<span style="color: red;">⊘</span> <span style="color: orange;">⚠</span>	22

## 4.8 SupplementaryData


*XML Tag:* SplmtryData

*Presence:* [0..\*]

*Definition:* Additional information that can not be captured in the structured fields and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "[SupplementaryData1](#)" on page 76 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]







Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		77
	Envelope	<Envlp>		[1..1]		77

## 5 Message Components

**Note** The following chapter identifies the message components.

### 5.1 BlockchainAddressWallet3

*Definition:* Digital account where digital assets or digital tokens can be stored and where an entry is made.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		13
	Type	<Tp>		[0..1]		13
	Name	<Nm>		[0..1]		14

Used in element(s)

"BlockchainCashWallet" on page 17

#### 5.1.1 Identification

*XML Tag:* Id

*Presence:* [1..1]

*Definition:* Unambiguous identification for the account between the account owner and the account servicer.

*Datatype:* "Max140Text" on page 120







#### 5.1.2 Type

*XML Tag:* Tp

*Presence:* [0..1]

*Definition:* Specifies the type of securities account.

The **Tp** block contains the following elements (see datatype "GenericIdentification30" on page 39 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		40
	Issuer	<Issr>		[1..1]		40
	SchemeName	<SchmeNm>		[0..1]		40

### 5.1.3 Name

*XML Tag:* Nm







*Presence:* [0..1]

*Definition:* Description of the account.

*Datatype:* "Max70Text" on page 121

## 5.2 CancelledReason9Choice\_\_1

*Definition:* Choice between a standard code or proprietary code to specify the reason why the instruction or cancellation request is cancelled.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		14
	Proprietary	<Prtry>	Or}	[1..1]		14

Used in element(s)

"ReasonCode" on page 16

### 5.2.1 Code

*XML Tag:* Cd

*Presence:* [1..1]

*Definition:* Standard code to specify the reason why the instruction is cancelled.

*Datatype:* "CancelledStatusReason5Code" on page 79







### 5.2.2 Proprietary



*XML Tag:* Prtry

*Presence:* [1..1]

*Definition:* Proprietary identification specifying the reason why the instruction is cancelled.

The **Prtry** block contains the following elements (see datatype "GenericIdentification30\_\_1" on page 40 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]		41
	SchemeName	<SchmeNm>		[0..1]		42

## 5.3 CancelledStatus11Choice\_\_1

*Definition:* Choice between a reason or no reason for the corporate action instruction or instruction cancellation cancelled/cancellation completed status.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpcdfRsn>	{Or	[1..1]		15
	Reason	<Rsn>	Or}	[1..*]		15

Used in element(s)

"CancellationCompleted" on page 48

### 5.3.1 NoSpecifiedReason

*XML Tag:* NoSpcdfRsn

*Presence:* [1..1]

*Definition:* Reason not specified.

*Datatype:* "NoReasonCode" on page 122

### 5.3.2 Reason

*XML Tag:* Rsn

*Presence:* [1..\*]

*Definition:* Reason for the cancelled status.

The **Rsn** block contains the following elements (see datatype "CancelledStatusReason12\_\_1" on page 15 for details)


🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReasonCode	<RsnCd>		[1..1]		16
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]	⚠	16

## 5.4 CancelledStatusReason12\_\_1

*Definition:* Specifies reasons for the cancelled status.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReasonCode	<RsnCd>		[1..1]		16
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]		16

**Rules****R9 AdditionalReasonInformationRule**

The AdditionalReasonInformation element must not contain information that can be provided in a structured field unless bilaterally agreed.

Error handling: Undefined

**Used in element(s)**

"Reason" on page 15







## 5.4.1 ReasonCode

XML Tag: RsnCd

Presence: [1..1]

Definition: Specifies the reason why the instruction or instruction cancellation has been cancelled.

The **RsnCd** block contains the following elements (see datatype "CancelledReason9Choice\_\_1" on page 14 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -   
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		14
	Proprietary	<Prtry>	Or}	[1..1]		14

## 5.4.2 AdditionalReasonInformation

XML Tag: AddtlRsnInf

Presence: [0..1]

Definition: Provides additional information about the processed instruction.

Datatype: "RestrictedFINXMax210Text" on page 146

**Usage Guideline details**

- on seev.041.001.15/InstructionCancellationRequestStatus/CancellationCompleted/Reason/AdditionalReasonInformation

Type changed to: RestrictedFINXMax210Text on page 146

## 5.5 CashAccountIdentification9Choice\_\_1



*Definition:* Unique identifier of an account, as assigned by the account servicer.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		17
	BlockChainCashWallet	<BlckChainCshWllt>	Or	[1..1]		17
	Proprietary	<Prtry>	Or}	[1..1]	⚠	17

**Used in element(s)**

"CashAccount" on page 27

## 5.5.1 IBAN

*XML Tag:* IBAN

*Presence:* [1..1]

*Definition:* International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

*Datatype:* "IBAN2007Identifier" on page 118

## 5.5.2 BlockChainCashWallet

*XML Tag:* BlckChainCshWllt

*Presence:* [1..1]

*Definition:* Block Chain Wallet where digital currencies are maintained. This is the equivalent of cash account for digital currencies.

The **BlckChainCshWllt** block contains the following elements (see datatype "BlockChainAddressWallet3" on page 13 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		13
	Type	<Tp>		[0..1]		13
	Name	<Nm>		[0..1]		14

## 5.5.3 Proprietary

*XML Tag:* Prtry

*Presence:* [1..1]

*Definition:* Unique identifier for an account. It is assigned by the account servicer using a proprietary identification scheme.







*Datatype:* ["RestrictedFINX2Max34Text" on page 145](#)


#### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/CashAccount/Proprietary](#)  
Type changed to: [RestrictedFINX2Max34Text on page 145](#)

## 5.6 CorporateActionEventType112Choice\_\_1

*Definition:* Choice between formats to express the corporate event type.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		18
	Proprietary	<Prtry>	Or}	[1..1]		18

#### Rules

##### R8 EventTypeRule

If Code is present, the code OTHR must only be used in case no other corporate action event code is appropriate.

If Code is present, the code CHAN must only be used in case no other corporate action event code is appropriate and only for an event which relates to a change.

If Code is present, the code REDM must only be used when the redemption is decided by the issuer and not by the securities holders.

Error handling: Undefined

#### Used in element(s)

["EventType" on page 21](#)

### 5.6.1 Code

*XML Tag:* Cd

*Presence:* [1..1]

*Definition:* Event types expressed as a code.

*Datatype:* ["CorporateActionEventType40Code" on page 80](#)

### 5.6.2 Proprietary

*XML Tag:* Prtry

*Presence:* [1..1]

*Definition:* Event types expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype "GenericIdentification30\_1" on page 40 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]	⚠	41
	SchemeName	<SchmeNm>		[0..1]	⚠	42

#### Usage Guideline details

- This element(seev.041.001.15/CorporateActionGeneralInformation/EventType/Proprietary) is removed.

## 5.7 CorporateActionGeneralInformation182\_\_1

*Definition:* General information about the corporate action event.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CorporateActionEventIdentification	<CorpActnEvtId>		[1..1]	⚠	20
	OfficialCorporateActionEventIdentification	<OffclCorpActnEvtId>		[0..1]	⚠	20
	ClassActionNumber	<ClssActnNb>		[0..1]	🚫 ⚠	21
	EventType	<EvtTp>		[1..1]	⚠	21

#### Rules

##### R6 EventTypeRule

EventType/Code OTHR must only be used in case no other corporate action event code is appropriate.

EventType/Code CHAN must only be used in case no other corporate action event code is appropriate and only for an event which relates to a change.

EventType/Code REDM must only be used when the redemption is decided by the issuer and not by the securities holders.

Error handling: Undefined

**R7 OfficialCorporateActionEventReference**

The Securities Market Practice Group (SMPG) has published market practice recommendations on the structure and usage of the Official Corporate Action Event Reference (COAF). Those recommendations are

available in the SMPG Global Market Practices Part 1 document on [www.smpg.info](http://www.smpg.info).

Error handling: Undefined

**Used in element(s)**

["CorporateActionGeneralInformation" on page 9](#)

**5.7.1 CorporateActionEventIdentification**

*XML Tag:* CorpActnEvtId

*Presence:* [1..1]

*Definition:* Reference assigned by the account servicer to unambiguously identify a corporate action event.

*Datatype:* ["RestrictedFINXMax16Text" on page 145](#)

**Usage Guideline details**

- on [seev.041.001.15/CorporateActionGeneralInformation/CorporateActionEventIdentification](#)  
**Type changed to:** [RestrictedFINXMax16Text on page 145](#)
- on [seev.041.001.15/CorporateActionGeneralInformation/CorporateActionEventIdentification](#)  
**Synonym (DTCC):** CA ID
- on [seev.041.001.15/CorporateActionGeneralInformation/CorporateActionEventIdentification](#)  
**Comment:**  
DTC unique identifier of the corporate action event.

**5.7.2 OfficialCorporateActionEventIdentification**

*XML Tag:* OffclCorpActnEvtId

*Presence:* [0..1]

*Definition:* Official and unique reference assigned by the official central body/entity within each market at the beginning of a corporate action event.

*Datatype:* ["RestrictedFINXMax16Text" on page 145](#)

**Usage Guideline details**

- on [seev.041.001.15/CorporateActionGeneralInformation/OfficialCorporateActionEventIdentification](#)  
**Type changed to:** [RestrictedFINXMax16Text on page 145](#)
- on [seev.041.001.15/CorporateActionGeneralInformation/OfficialCorporateActionEventIdentification](#)

**Synonym (DTCC):** Official Reference CA ID

- on [seev.041.001.15/CorporateActionGeneralInformation/OfficialCorporateActionEventIdentification](#)

**Comment:**

Official corporate action unique identifier.

### 5.7.3 ClassActionNumber

*XML Tag:* ClssActnNb

*Presence:* [0..1]

*Definition:* Reference assigned by a court to a class action.

*Datatype:* ["RestrictedFINXMax16Text" on page 145](#)

**Usage Guideline details**

- This element([seev.041.001.15/CorporateActionGeneralInformation/ClassActionNumber](#)) is removed.
- on [seev.041.001.15/CorporateActionGeneralInformation/ClassActionNumber](#)  
Type changed to: [RestrictedFINXMax16Text on page 145](#)







### 5.7.4 EventType


*XML Tag:* EvtTp

*Presence:* [1..1]

*Definition:* Type of corporate action event.

The **EvtTp** block contains the following elements (see datatype ["CorporateActionEventType112Choice 1" on page 18](#) for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		18
	Proprietary	<Prtry>	Or}	[1..1]		18

**Usage Guideline details**

- on [seev.041.001.15/CorporateActionGeneralInformation/EventType](#)  
**Synonym (DTCC):** Event Type
- on [seev.041.001.15/CorporateActionGeneralInformation/EventType](#)  
**Comment:**  
Type of corporate action event (e.g. Exchange Offer, Final Paydown)

## 5.8 CorporateActionNarrative10\_\_1

*Definition:* Provides additional information such as the information conditions.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AdditionalText	<AddtlTxt>		[0..*]	⚠	22
	PartyContactNarrative	<PtyCtctNrrtv>		[0..*]	🚫 ⚠	22

**Used in element(s)**

"AdditionalInformation" on page 11

### 5.8.1 AdditionalText

*XML Tag:* AddtlTxt

*Presence:* [0..\*]

*Definition:* Provides additional information or specifies in more detail the content of a message. This field may only be used when the information to be transmitted, cannot be coded.

*Datatype:* "RestrictedFINXMax350Text" on page 147

**Usage Guideline details**

- on seev.041.001.15/AdditionalInformation/AdditionalText  
 Type changed to: [RestrictedFINXMax350Text on page 147](#)

### 5.8.2 PartyContactNarrative

*XML Tag:* PtyCtctNrrtv

*Presence:* [0..\*]

*Definition:* Provides additional information regarding the party, for example, the contact unit or person responsible for the transaction identified in the message.

*Datatype:* "RestrictedFINXMax350Text" on page 147

**Usage Guideline details**

- This element(seev.041.001.15/AdditionalInformation/PartyContactNarrative) is removed.
- on seev.041.001.15/AdditionalInformation/PartyContactNarrative  
 Type changed to: [RestrictedFINXMax350Text on page 147](#)

## 5.9 CorporateActionOption239\_\_1

*Definition:* Provides information about the corporate action option.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OptionNumber	<OptnNb>		[1..1]		24
	OptionType	<OptnTp>		[1..1]		25
	OptionFeatures	<OptnFeatrs>		[0..1]		25
	AccountOwner	<AcctOwnr>		[0..1]		26
	SafekeepingAccount	<SfkpgAcct>		[0..1]		26
	BlockChainAddressOrWallet	<BlckChainAdrOrWlt>		[0..1]		27
	CashAccount	<CshAcct>		[0..1]		27
	SafekeepingPlace	<SfkpgPlc>		[0..1]		28
	FinancialInstrumentIdentification	<FinInstrmId>		[0..1]		28
	TotalEligibleBalance	<TtlElgblBal>		[0..1]		28
	InstructedBalance	<InstdBal>		[0..1]		29
	UninstructedBalance	<UinstdBal>		[0..1]		29
	ProtectBalance	<PrctBal>		[0..1]		29
	StatusQuantity	<StsQty>		[0..1]		30
	StatusCashAmount	<StsCshAmt>		[0..1]		30

## Rules

### R13 OptionNumberRule

For differentiation between options, the OptionNumber rather than the OptionType must be used, for example, in the case where two or more offers can be described by the same corporate action option code. Therefore, the OptionNumber value must be different for each option.

Error handling: Undefined

### R14 SafekeepingPlaceRule

SafekeepingPlace must only be used by global custodians that allow their clients to specify where the securities are to be held, for example, in an ICSD account versus an account at the local CSD.

Error handling: Undefined

### R15 StatusQuantityOrStatusCashAmount1Rule ✓

If StatusQuantity is present, then StatusCashAmount is not allowed. (MT 567 C5).

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00418
- *Error Text:* Invalid message contents for StatusCashAmount.

**R16 StatusQuantityOrStatusCashAmount2Rule ✓**

If StatusCashAmount is present, then StatusQuantity is not allowed. (MT 567 C5).

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00414
- *Error Text:* Invalid message content for StatusQuantity

**R17 SafekeepingAccountOrBlockChainAddress1Rule ✓**

If SafekeepingAccount is present, BlockChainAddressOrWallet must be absent.

Error handling:

- *Error severity:* Warning
- *Error Code:* X00558
- *Error Text:* Invalid message contents for SafekeepingAccount or BlockchainAddressOrWallet. Only one of both may be present.

**R18 SafekeepingAccountOrBlockChainAddress2Rule ✓**

If BlockChainAddressOrWallet is present, SafekeepingAccount must be absent.

Error handling:

- *Error severity:* Warning
- *Error Code:* X00559
- *Error Text:* Invalid message contents for SafekeepingAccount or BlockchainAddressOrWallet. Only one of both may be present.

**R19 SafekeepingAccountOrBlockChainAddress3Rule ✓**

Either SafekeepingAccount or BlockChainAddressOrWallet must be present but not both.

Error handling:

- *Error severity:* Warning
- *Error Code:* X00576
- *Error Text:* Invalid message contents for SafekeepingAccount or BlockchainAddressOrWallet. Only one of both must be present.

**Used in element(s)**

"CorporateActionInstruction" on page 10

## 5.9.1 OptionNumber







*XML Tag:* OptnNb


*Presence:* [1..1]

*Definition:* Number identifying the available corporate action options.

The **OptnNb** block contains the following elements (see datatype "OptionNumber1Choice" on page 52 for details)



 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Number	<Nb>	{Or	[1..1]		52
	Code	<Cd>	Or}	[1..1]		52

#### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/OptionNumber](#)  
**Synonym (DTCC):** Option Number
- on [seev.041.001.15/CorporateActionInstruction/OptionNumber](#)  
**Comment:**  
 Number that uniquely identifies an option within an event.







## 5.9.2 OptionType


*XML Tag:* OptnTp

*Presence:* [1..1]

*Definition:* Specifies the corporate action options available to the account owner.

The **OptnTp** block contains the following elements (see datatype "[CorporateActionOption41Choice\\_1](#)" on [page 30](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		31
	Proprietary	<Prtry>	Or}	[1..1]		31

#### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/OptionType](#)  
**Synonym (DTCC):** Option Number
- on [seev.041.001.15/CorporateActionInstruction/OptionType](#)  
**Comment:**  
 Describes the type of option associated with the event (e.g., retain, sell).

## 5.9.3 OptionFeatures

*XML Tag:* OptnFeatr

*Presence:* [0..1]

*Definition:* Specifies the features that may apply to a corporate action option.

The **OptnFeatrs** block contains the following elements (see datatype "OptionFeaturesFormat25Choice 1" on page 51 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		51
	Proprietary	<Prtry>	Or}	[1..1]		51

#### Usage Guideline details

- This element(seev.041.001.15/CorporateActionInstruction/OptionFeatures) is removed.

## 5.9.4 AccountOwner

*XML Tag:* AcctOwnr

*Presence:* [0..1]

*Definition:* Party that owns the account.

The **AcctOwnr** block contains the following elements (see datatype "PartyIdentification127Choice 1" on page 55 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>	{Or	[1..1]		55
	ProprietaryIdentification	<PrtryId>	Or}	[1..1]		55

#### Usage Guideline details

- This element(seev.041.001.15/CorporateActionInstruction/AccountOwner) is removed.

## 5.9.5 SafekeepingAccount

*XML Tag:* SfkpgAcct

*Presence:* [0..1]

*Definition:* Account where financial instruments are maintained.

*Datatype:* "RestrictedFINXMax35Text" on page 148

#### Usage Guideline details

- on seev.041.001.15/CorporateActionInstruction/SafekeepingAccount

**Type changed to:** [RestrictedFINXMax35Text on page 148](#)

- on [seev.041.001.15/CorporateActionInstruction/SafekeepingAccount](#)

**Synonym (DTCC):** Participant ID

- on [seev.041.001.15/CorporateActionInstruction/SafekeepingAccount](#)

**Comment:**

DTCC assigned internal participant identification number.

## 5.9.6 BlockchainAddressOrWallet

*XML Tag:* BlckChainAdrOrWllt

*Presence:* [0..1]

*Definition:* Blockchain address or wallet where digital assets are maintained. This is the equivalent of safekeeping account for digital assets.

*Datatype:* ["RestrictedFINXMax140Text" on page 145](#)

### Usage Guideline details

- This element([seev.041.001.15/CorporateActionInstruction/BlockchainAddressOrWallet](#)) is removed.
- on [seev.041.001.15/CorporateActionInstruction/BlockchainAddressOrWallet](#)  
**Type changed to:** [RestrictedFINXMax140Text on page 145](#)

## 5.9.7 CashAccount

*XML Tag:* CshAcct

*Presence:* [0..1]

*Definition:* Account on which a securities entry is made.

The **CshAcct** block contains the following elements (see datatype ["CashAccountIdentification9Choice 1" on page 16](#) for details)

⊘ Removed - 
 ⊘ Partial Removed - 
 ◇ Ignored - 
 ◇ Partial Ignored - 
 ⚠ Details below - 
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		17
	BlockChainCashWallet	<BlckChainCshWllt>	Or	[1..1]		17
	Proprietary	<Prtry>	Or}	[1..1]	<span style="color: orange;">⚠</span>	17

### Usage Guideline details

- This element([seev.041.001.15/CorporateActionInstruction/CashAccount](#)) is removed.

## 5.9.8 SafekeepingPlace

XML Tag: SfkpgPlc

Presence: [0..1]

Definition: Location where the financial instruments are/will be safekept.

The **SfkpgPlc** block contains the following elements (see datatype "SafekeepingPlaceFormat42Choice 1" on page 70 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>	{Or	[1..1]		71
	Country	<Ctry>	Or	[1..1]		71
	DigitalLedgerIdentification	<DgtlLdgrId>	Or	[1..1]		71
	TypeAndIdentification	<TpAndId>	Or	[1..1]		71
	Proprietary	<Prtry>	Or}	[1..1]		72

### Usage Guideline details

- This element(seev.041.001.15/CorporateActionInstruction/SafekeepingPlace) is removed.

## 5.9.9 FinancialInstrumentIdentification

XML Tag: FinInstrmId

Presence: [0..1]

Definition: Identifies the financial instrument.

The **FinInstrmId** block contains the following elements (see datatype "SecurityIdentification19 1" on page 73 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ISIN	<ISIN>		[0..1]	🚫	75
	OtherIdentification	<OthrId>		[0..*]		75
	Description	<Desc>		[0..1]	⚠	75

## 5.9.10 TotalEligibleBalance

XML Tag: TtlElgblBal

Presence: [0..1]

*Definition:* Total balance of securities eligible for this corporate action event. The entitlement calculation is based on this balance.

The **TtlElgblBal** block contains the following elements (see datatype "SignedQuantityFormat11\_1" on page 76 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ShortLongPosition	<ShrtLngPos>		[1..1]		76
	QuantityChoice	<QtyChc>		[1..1]		76

## 5.9.11 InstructedBalance

*XML Tag:* InstdBal

*Presence:* [0..1]

*Definition:* Balance of instructed position.

The **InstdBal** block contains the following elements (see datatype "SignedQuantityFormat11\_1" on page 76 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ShortLongPosition	<ShrtLngPos>		[1..1]		76
	QuantityChoice	<QtyChc>		[1..1]		76

## 5.9.12 UninstructedBalance

*XML Tag:* UinstdBal

*Presence:* [0..1]

*Definition:* Balance of uninstructed position.

The **UinstdBal** block contains the following elements (see datatype "SignedQuantityFormat11\_1" on page 76 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ShortLongPosition	<ShrtLngPos>		[1..1]		76
	QuantityChoice	<QtyChc>		[1..1]		76

## 5.9.13 ProtectBalance

*XML Tag:* PrtctBal

*Presence:* [0..1]

*Definition:* Balance of securities which are in protect status in a CSD operating a protect cover service.

The **PrtctBal** block contains the following elements (see datatype "[SignedQuantityFormat11\\_\\_1](#)" on page 76 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ShortLongPosition	<ShrtLngPos>		[1..1]		76
	QuantityChoice	<QtyChc>		[1..1]		76

## 5.9.14 StatusQuantity

*XML Tag:* StsQty

*Presence:* [0..1]

*Definition:* Quantity of securities that has been assigned the status indicated.

The **StsQty** block contains the following elements (see datatype "[Quantity51Choice\\_\\_1](#)" on page 66 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>	{Or	[1..1]	⚠	66
	OriginalAndCurrentFace	<OrgnlAndCurFace>	Or}	[1..1]	🚫	67

## 5.9.15 StatusCashAmount

*XML Tag:* StsCshAmt

*Presence:* [0..1]

*Definition:* Amount of cash subscribed that has been assigned the status indicated.







*Datatype:* "[RestrictedFINActiveCurrencyAndAmount](#)" on page 143


### Usage Guideline details

- This element([seev.041.001.15/CorporateActionInstruction/StatusCashAmount](#)) is removed.
- on [seev.041.001.15/CorporateActionInstruction/StatusCashAmount](#)  
 Type changed to: [RestrictedFINActiveCurrencyAndAmount](#) on page 143

## 5.10 CorporateActionOption41Choice\_\_1

*Definition:* Choice between a standard code or a proprietary code to specify the type of the corporate action option.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		31
	Proprietary	<Prtry>	Or}	[1..1]		31

Used in element(s)

"OptionType" on page 25

## 5.10.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the corporate action options available to the account owner.

Datatype: "CorporateActionOption17Code" on page 105







## 5.10.2 Proprietary




XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of corporate action option.

The **Prtry** block contains the following elements (see datatype "GenericIdentification30\_\_1" on page 40 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]		41
	SchemeName	<SchmeNm>		[0..1]		42

### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/OptionType/Proprietary](#)

- **Market Practice Usage Rule:**

Use for VOTE events only.

## 5.11 DocumentIdentification33\_\_1

Definition: Identification of a document as well as the document number.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		32
	DocumentNumber	<DocNb>		[0..1]		32

Used in element(s)

"OtherDocumentIdentification" on page 8







## 5.11.1 Identification



XML Tag: Id

Presence: [1..1]

**Definition:** Unique identifier of the document (message) assigned either by the account servicer or the account owner.

The **Id** block contains the following elements (see datatype "[DocumentIdentification3Choice](#) 1" on page 33 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AccountServicerDocumentIdentification	<AcctSvcrDocId>	{Or	[1..1]		33
	AccountOwnerDocumentIdentification	<AcctOwnrDocId>	Or}	[1..1]		33







## 5.11.2 DocumentNumber

XML Tag: DocNb

Presence: [0..1]

**Definition:** Identification of the type of document.

The **DocNb** block contains the following elements (see datatype "[DocumentNumber5Choice](#) 1" on page 34 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ShortNumber	<ShrtNb>	{Or	[1..1]		35
	LongNumber	<LngNb>	Or	[1..1]		35
	ProprietaryNumber	<PrtryNb>	Or}	[1..1]		35



## 5.12 DocumentIdentification3Choice\_\_1

*Definition:* Choice between a document identification provided either by the account owner or by the account servicer.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AccountServicerDocumentIdentification	<AcctSvcrDocId>	{Or	[1..1]	<span style="color: orange;">⚠</span>	33
	AccountOwnerDocumentIdentification	<AcctOwnrDocId>	Or}	[1..1]	<span style="color: orange;">⚠</span>	33

Used in element(s)

"Identification" on page 32

### 5.12.1 AccountServicerDocumentIdentification

*XML Tag:* AcctSvcrDocId

*Presence:* [1..1]

*Definition:* Identification of the document assigned by the account servicer.

*Datatype:* "RestrictedFINXMax16Text" on page 145

Usage Guideline details

- on [seev.041.001.15/OtherDocumentIdentification/Identification/AccountServicerDocumentIdentification](#)

Type changed to: [RestrictedFINXMax16Text on page 145](#)

### 5.12.2 AccountOwnerDocumentIdentification

*XML Tag:* AcctOwnrDocId

*Presence:* [1..1]

*Definition:* Identification of the document assigned by the account owner.

*Datatype:* "RestrictedFINXMax16Text" on page 145

Usage Guideline details

- on [seev.041.001.15/OtherDocumentIdentification/Identification/AccountOwnerDocumentIdentification](#)

Type changed to: [RestrictedFINXMax16Text on page 145](#)

## 5.13 DocumentIdentification9\_\_1

*Definition:* Identifies a document by a unique identification.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	34

**Used in element(s)**

"InstructionCancellationRequestIdentification" on page 8

## 5.13.1 Identification

*XML Tag:* Id

*Presence:* [1..1]

*Definition:* Identifies the document.

*Datatype:* "RestrictedFINXMax16Text" on page 145

**Usage Guideline details**

- on seev.041.001.15/InstructionCancellationRequestIdentification/Identification  
**Type changed to:** RestrictedFINXMax16Text on page 145

## 5.14 DocumentNumber5Choice\_\_1

*Definition:* Choice between a short document number, a long document number or a proprietary document number.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ShortNumber	<ShrtNb>	{Or	[1..1]		35
	LongNumber	<LngNb>	Or	[1..1]		35
	ProprietaryNumber	<PrtryNb>	Or}	[1..1]		35

**Rules**

### R5 ShortLongNumberRule

ShortNumber must contain the FIN message type number of the linked message. LongNumber must contain the XML message identifier of the linked message.

Error handling: Undefined

**Used in element(s)**

"DocumentNumber" on page 32

## 5.14.1 ShortNumber

*XML Tag:* ShrtNb

*Presence:* [1..1]

*Definition:* Message type number of the document referenced.

*Datatype:* ["Exact3NumericText" on page 117](#)

## 5.14.2 LongNumber

*XML Tag:* LngNb

*Presence:* [1..1]

*Definition:* MX Message identifier of the referenced document.

*Datatype:* ["ISO20022MessageIdentificationText" on page 119](#)







## 5.14.3 ProprietaryNumber




*XML Tag:* PrtryNb

*Presence:* [1..1]

*Definition:* Proprietary document identification.







The **PrtryNb** block contains the following elements (see datatype ["GenericIdentification36\\_\\_1" on page 43](#) for details)



 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		43
	Issuer	<Issr>		[1..1]		44
	SchemeName	<SchmeNm>		[0..1]		44

## 5.15 FinancialInstrumentQuantity18Choice\_\_1

*Definition:* Choice between formats for the quantity of security.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unit	<Unit>	{Or	[1..1]		36
	FaceAmount	<FaceAmt>	Or}	[1..1]		36

**Used in element(s)**

["UncoveredProtectQuantity" on page 64](#)

## 5.15.1 Unit

*XML Tag:* Unit

*Presence:* [1..1]

*Definition:* Quantity expressed as a number, for example, a number of shares.

*Datatype:* "RestrictedFINDecimalNumber" on page 144

### Usage Guideline details

- on [seev.041.001.15/ProtectInstruction/UncoveredProtectQuantity/Unit](#)  
Type changed to: [RestrictedFINDecimalNumber on page 144](#)

## 5.15.2 FaceAmount

*XML Tag:* FaceAmt

*Presence:* [1..1]

*Definition:* Quantity expressed as an amount representing the face amount, that is, the principal, of a debt instrument.

*Datatype:* "RestrictedFINImpliedCurrencyAndAmount" on page 144

### Usage Guideline details

- on [seev.041.001.15/ProtectInstruction/UncoveredProtectQuantity/FaceAmount](#)  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)

## 5.16 FinancialInstrumentQuantity33Choice\_\_1

*Definition:* Choice between formats for the quantity of security.

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unit	<Unit>	{Or	[1..1]	⚠	37
	FaceAmount	<FaceAmt>	Or	[1..1]	⚠	37
	AmortisedValue	<AmtsdVal>	Or	[1..1]	🚫 ⚠	38
	DigitalTokenUnit	<DgtlTknUnit>	Or}	[1..1]	🚫	39

### Rules

#### R29 DigitalTokenUnitUsageRule

DigitalTokenUnit format may only be used for instruments identified with a digital token identifier.

Error handling: Undefined

**Used in element(s)**

["Quantity" on page 65](#), ["Quantity" on page 66](#)

## 5.16.1 Unit

*XML Tag:* Unit

*Presence:* [1..1]

*Definition:* Quantity expressed as a number, for example, a number of shares.

*Datatype:* ["RestrictedFINDecimalNumber" on page 144](#)

**Usage Guideline details**

- on [seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity/Unit](#)  
Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/Quantity/Unit](#)  
Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/Quantity/Unit](#)  
Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/Quantity/Unit](#)  
Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/Quantity/Unit](#)  
Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity/Unit](#)
  - **Market Practice Rule:**

Used when event security is debt.

## 5.16.2 FaceAmount

*XML Tag:* FaceAmt

*Presence:* [1..1]

*Definition:* Quantity expressed as an amount representing the face amount, that is, the principal, of a debt instrument.

*Datatype:* ["RestrictedFINImpliedCurrencyAndAmount" on page 144](#)

## Usage Guideline details

- on **seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/Quantity/FaceAmount**  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount](#) on page 144
- on **seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity/FaceAmount**  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount](#) on page 144
- on **seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/Quantity/FaceAmount**  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount](#) on page 144
- on **seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/Quantity/FaceAmount**  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount](#) on page 144
- on **seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/Quantity/FaceAmount**  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount](#) on page 144
- on **seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity/FaceAmount**  
– **Market Practice Rule:**  
  
Used when event security is not debt.

## 5.16.3 AmortisedValue

*XML Tag:* AmtsdVal

*Presence:* [1..1]

*Definition:* Quantity expressed as an amount representing the current amortised face amount of a bond, for example, a periodic reduction/increase of a bond's principal amount.

*Datatype:* ["RestrictedFINImpliedCurrencyAndAmount"](#) on page 144

## Usage Guideline details

- This element(**seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/Quantity/AmortisedValue**) is removed.
- This element(**seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity/AmortisedValue**) is removed.
- This element(**seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/Quantity/AmortisedValue**) is removed.
- This element(**seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/Quantity/AmortisedValue**) is removed.
- This element(**seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/Quantity/AmortisedValue**) is removed.

- on `seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/Quantity/AmortisedValue`  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)
- on `seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity/AmortisedValue`  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)
- on `seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/Quantity/AmortisedValue`  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)
- on `seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/Quantity/AmortisedValue`  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)
- on `seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/Quantity/AmortisedValue`  
Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)

## 5.16.4 DigitalTokenUnit

*XML Tag:* DgtlTknUnit

*Presence:* [1..1]

*Definition:* Quantity of digital tokens expressed as a number, for example, a number of blockchain tokens.

*Datatype:* ["Max30DecimalNumber" on page 120](#)

### Usage Guideline details

- This element(`seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/Quantity/DigitalTokenUnit`) is removed.
- This element(`seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/Quantity/DigitalTokenUnit`) is removed.
- This element(`seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity/DigitalTokenUnit`) is removed.
- This element(`seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/Quantity/DigitalTokenUnit`) is removed.
- This element(`seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/Quantity/DigitalTokenUnit`) is removed.

## 5.17 GenericIdentification30

*Definition:* Information related to an identification, for example, party identification or account identification.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		40
	Issuer	<Issr>		[1..1]		40
	SchemeName	<SchmeNm>		[0..1]		40

Used in element(s)

"Type" on page 13

## 5.17.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "Exact4AlphaNumericText" on page 117

## 5.17.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 121

## 5.17.3 SchemeName

XML Tag: SchmeNm







Presence: [0..1]



Definition: Short textual description of the scheme.

Datatype: "Max35Text" on page 121


## 5.18 GenericIdentification30\_\_1

Definition: Information related to an identification, for example, party identification or account identification.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]		41



Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SchemeName	<SchmeNm>		[0..1]		42

**Used in element(s)**

"Proprietary" on page 18, "Proprietary" on page 14, "Proprietary" on page 67, "Proprietary" on page 56, "Proprietary" on page 31, "Proprietary" on page 51, "ProprietaryStatus" on page 62, "Reason" on page 61, "Type" on page 46

## 5.18.1 Identification

*XML Tag:* Id

*Presence:* [1..1]

*Definition:* Proprietary information, often a code, issued by the data source scheme issuer.

*Datatype:* ["Exact4AlphaNumericText" on page 117](#)

**Usage Guideline details**

- on [seev.041.001.15/CorporateActionInstruction/OptionType/Proprietary/Identification](#)

- **Market Practice Usage Rule:**

Use for VOTE events only. See Data Dictionary for list of code values.

## 5.18.2 Issuer

*XML Tag:* Issr

*Presence:* [1..1]

*Definition:* Entity that assigns the identification.

*Datatype:* ["Max4AlphaNumericText" on page 121](#)

**Usage Guideline details**

- on [seev.041.001.15/CorporateActionInstruction/SafekeepingPlace/Proprietary/Type/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/CorporateActionInstruction/OptionType/Proprietary/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/ReasonCode/Proprietary/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/InstructionCancellationRequestStatus/CancellationCompleted/Reason/ReasonCode/Proprietary/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)

- on `seev.041.001.15/InstructionCancellationRequestStatus/ProprietaryStatus/ProprietaryReason/Reason/Issuer`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/InstructionCancellationRequestStatus/ProprietaryStatus/ProprietaryStatus/Issuer`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Proprietary/Issuer`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/CorporateActionGeneralInformation/EventType/Proprietary/Issuer`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/CorporateActionInstruction/OptionFeatures/Proprietary/Issuer`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/CorporateActionInstruction/OptionType/Proprietary/Issuer`  
– **Market Practice Usage Rule:**  
  
Use for VOTE events only. Populated with "DTCC".

### 5.18.3 SchemeName

*XML Tag:* SchmeNm

*Presence:* [0..1]

*Definition:* Short textual description of the scheme.

*Datatype:* ["Max4AlphaNumericText" on page 121](#)

#### Usage Guideline details

- on `seev.041.001.15/InstructionCancellationRequestStatus/ProprietaryStatus/ProprietaryStatus/SchemeName`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/CorporateActionInstruction/SafekeepingPlace/Proprietary/Type/SchemeName`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/CorporateActionInstruction/OptionFeatures/Proprietary/SchemeName`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/CorporateActionGeneralInformation/EventType/Proprietary/SchemeName`  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on `seev.041.001.15/InstructionCancellationRequestStatus/CancellationCompleted/Reason/ReasonCode/Proprietary/SchemeName`  
Type changed to: [Max4AlphaNumericText on page 121](#)

- on **seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/ReasonCode/Proprietary/SchemeName**  
Type changed to: Max4AlphaNumericText on page 121
- on **seev.041.001.15/CorporateActionInstruction/OptionType/Proprietary/SchemeName**  
Type changed to: Max4AlphaNumericText on page 121
- on **seev.041.001.15/InstructionCancellationRequestStatus/ProprietaryStatus/ProprietaryReason/Reason/SchemeName**  
Type changed to: Max4AlphaNumericText on page 121
- on **seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Proprietary/SchemeName**  
Type changed to: Max4AlphaNumericText on page 121
- on **seev.041.001.15/CorporateActionInstruction/OptionType/Proprietary/SchemeName**
  - **Market Practice Usage Rule:**  
Use for VOTE events only. Populated with "VOTE".

## 5.19 GenericIdentification36\_\_1

*Definition:* Identification using a proprietary scheme.

🚫 Removed - 🚫 Partial Removed - 💡 Ignored - 💡 Partial Ignored - ⚠️ Details below -  
 📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠️	43
	Issuer	<Issr>		[1..1]	⚠️	44
	SchemeName	<SchmeNm>		[0..1]	⚠️	44

Used in element(s)

"ProprietaryNumber" on page 35

### 5.19.1 Identification

*XML Tag:* Id

*Presence:* [1..1]

*Definition:* Proprietary information, often a code, issued by the data source scheme issuer.

*Datatype:* "RestrictedFINXMax30Text" on page 146

Usage Guideline details

- on **seev.041.001.15/OtherDocumentIdentification/DocumentNumber/ProprietaryNumber/Identification**

**Type changed to:** [RestrictedFINXMax30Text on page 146](#)

## 5.19.2 Issuer

*XML Tag:* Issr

*Presence:* [1..1]

*Definition:* Entity that assigns the identification.

*Datatype:* ["Max4AlphaNumericText" on page 121](#)

### Usage Guideline details

- on [seev.041.001.15/OtherDocumentIdentification/DocumentNumber/ProprietaryNumber/Issuer](#)  
**Type changed to:** [Max4AlphaNumericText on page 121](#)

## 5.19.3 SchemeName

*XML Tag:* SchmeNm

*Presence:* [0..1]

*Definition:* Short textual description of the scheme.







*Datatype:* ["Max4AlphaNumericText" on page 121](#)




### Usage Guideline details

- on [seev.041.001.15/OtherDocumentIdentification/DocumentNumber/ProprietaryNumber/SchemeName](#)  
**Type changed to:** [Max4AlphaNumericText on page 121](#)

## 5.20 GenericIdentification36\_\_2

*Definition:* Identification using a proprietary scheme.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		45
	Issuer	<Issr>		[1..1]		45
	SchemeName	<SchmeNm>		[0..1]		45

### Used in element(s)

["ProprietaryIdentification" on page 55](#)

## 5.20.1 Identification

*XML Tag:* Id

*Presence:* [1..1]

*Definition:* Proprietary information, often a code, issued by the data source scheme issuer.

*Datatype:* ["RestrictedFINXMax34Text" on page 147](#)

### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/AccountOwner/ProprietaryIdentification/Identification](#)

**Type changed to:** [RestrictedFINXMax34Text on page 147](#)

## 5.20.2 Issuer

*XML Tag:* Issr

*Presence:* [1..1]

*Definition:* Entity that assigns the identification.

*Datatype:* ["Max4AlphaNumericText" on page 121](#)

### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/AccountOwner/ProprietaryIdentification/Issuer](#)

**Type changed to:** [Max4AlphaNumericText on page 121](#)

## 5.20.3 SchemeName

*XML Tag:* SchmeNm

*Presence:* [0..1]

*Definition:* Short textual description of the scheme.

*Datatype:* ["Max4AlphaNumericText" on page 121](#)

### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/AccountOwner/ProprietaryIdentification/SchemeName](#)

**Type changed to:** [Max4AlphaNumericText on page 121](#)

## 5.21 GenericIdentification78\_\_1

*Definition:* Identification expressed as a proprietary type and narrative description.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		46
	Identification	<Id>		[0..1]		46

Used in element(s)

"Proprietary" on page 72

## 5.21.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

The **Tp** block contains the following elements (see datatype "GenericIdentification30\_1" on page 40 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]		41
	SchemeName	<SchmeNm>		[0..1]		42

## 5.21.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Name or number assigned by an entity to enable recognition of that entity, for example, account identifier.

Datatype: "RestrictedFINXMax30Text" on page 146

Usage Guideline details

- on seev.041.001.15/CorporateActionInstruction/SafekeepingPlace/Proprietary/Identification  
Type changed to: RestrictedFINXMax30Text on page 146

## 5.22 IdentificationSource3Choice\_\_1

Definition: Choice between source of identification of a financial instrument.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		47
	Proprietary	<Prtry>	Or}	[1..1]		47

Used in element(s)

"Type" on page 54

## 5.22.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Unique and unambiguous identification source, as assigned via a pre-determined code list.

Datatype: ["ExternalFinancialInstrumentIdentificationType1Code" on page 117](#)

## 5.22.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Unique and unambiguous identification source using a proprietary identification scheme.

Datatype: ["RestrictedFINExact2Text" on page 144](#)

### Usage Guideline details




- on [seev.041.001.15/CorporateActionInstruction/FinancialInstrumentIdentification/OtherIdentification/Type/Proprietary](#)  
Type changed to: [RestrictedFINExact2Text on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/FinancialInstrumentIdentification/OtherIdentification/Type/Proprietary](#)
  - Market Practice Implementation Rule:  
Populated with "XX" to identify contra CUSIP.

## 5.23 InstructionCancellationRequestStatus21Choice\_\_1

Definition: Choice between different instruction cancellation request statuses.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CancellationCompleted	<CxlCmpltd>	{Or	[1..1]		48

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Accepted	<Accptd>	Or	[1..1]		48
	Rejected	<Rjctd>	Or	[1..1]		49
	PendingCancellation	<PdgCxl>	Or	[1..1]		49
	ProprietaryStatus	<PrtrySts>	Or}	[1..1]		50

**Used in element(s)**

"InstructionCancellationRequestStatus" on page 9







## 5.23.1 CancellationCompleted

XML Tag: CxlCmpltd

Presence: [1..1]

Definition: Provides status information related to an instruction cancellation request completed.

The **CxlCmpltd** block contains the following elements (see datatype "CancelledStatus11Choice 1" on page 15 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -   
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpctdRsn>	{Or	[1..1]		15
	Reason	<Rsn>	Or}	[1..*]		15

**Usage Guideline details**

- This element(seev.041.001.15/InstructionCancellationRequestStatus/CancellationCompleted) is removed.







## 5.23.2 Accepted


XML Tag: Accptd

Presence: [1..1]

Definition: Provides status information related to a cancellation request accepted for further processing.

The **Accptd** block contains the following elements (see datatype "NoSpecifiedReason1" on page 50 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -   
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpctdRsn>		[1..1]		50



## Usage Guideline details

- on **seev.041.001.15/InstructionCancellationRequestStatus/Accepted**  
**Synonym (DTCC):** Accept
- on **seev.041.001.15/InstructionCancellationRequestStatus/Accepted**  
**Comment:**  
Withdrawal was accepted and is being processed.







## 5.23.3 Rejected


*XML Tag:* Rjctd

*Presence:* [1..1]

*Definition:* Provides status information related to a cancellation request rejected for further processing due to system (data) reasons.

The **Rjctd** block contains the following elements (see datatype "RejectedStatus65Choice\_1" on page 68 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - 
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpctdRsn>	{Or	[1..1]		68
	Reason	<Rsn>	Or}	[1..*]		69

## Usage Guideline details

- on **seev.041.001.15/InstructionCancellationRequestStatus/Rejected**  
– **DTCC Rejected Reason Code Rule:**  
  
All discovered reasons for reject will be reported in this repetitive field.  
When "OTHR" code is used AdditionalReasonInformation tag will be populated with further explanation.
- on **seev.041.001.15/InstructionCancellationRequestStatus/Rejected**  
**Synonym (DTCC):** Reject
- on **seev.041.001.15/InstructionCancellationRequestStatus/Rejected**  
**Comment:**  
Withdrawal was rejected and will not be processed.

## 5.23.4 PendingCancellation

*XML Tag:* PdgCxl

*Presence:* [1..1]

*Definition:* Provides status information related to a pending cancellation request.

The **PdgCxl** block contains the following elements (see datatype "[PendingCancellationStatus18Choice\\_1](#)" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpcfdRsn>	{Or	[1..1]		57
	Reason	<Rsn>	Or}	[1..*]	🚫	57

## 5.23.5 ProprietaryStatus

XML Tag: PrtrySts

Presence: [1..1]

Definition: Proprietary status related to an instruction cancellation request.

The **PrtrySts** block contains the following elements (see datatype "[ProprietaryStatusAndReason6\\_1](#)" on page 62 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ProprietaryStatus	<PrtrySts>		[1..1]		62
	ProprietaryReason	<PrtryRsn>		[0..*]		62

### Usage Guideline details

- This element(seev.041.001.15/InstructionCancellationRequestStatus/ProprietaryStatus) is removed.

## 5.24 NoSpecifiedReason1

Definition: No specified reason available for the status.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpcfdRsn>		[1..1]	⚠	50

Used in element(s)

"Accepted" on page 48

### 5.24.1 NoSpecifiedReason

XML Tag: NoSpcfdRsn

*Presence:* [1..1]

*Definition:* Indicates that there is no reason available or to report.

*Datatype:* ["NoReasonCode" on page 122](#)

#### Usage Guideline details

- on [seev.041.001.15/InstructionCancellationRequestStatus/Accepted/NoSpecifiedReason](#)
  - **Market Practice Implementation Rule:**  
Use NoSpecifiedReason as default.

## 5.25 OptionFeaturesFormat25Choice\_\_1

*Definition:* Choice between a standard code and a proprietary code to specify the features that may apply to a corporate action option.

Removed - 
 Partial Removed - 
 Ignored - 
 Partial Ignored - 
 Details below - 
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		51
	Proprietary	<Prtry>	Or}	[1..1]		51

#### Used in element(s)

["OptionFeatures" on page 25](#)

### 5.25.1 Code

*XML Tag:* Cd

*Presence:* [1..1]

*Definition:* Standard code to specify the features that may apply to a corporate action option.

*Datatype:* ["OptionFeatures12Code" on page 122](#)

### 5.25.2 Proprietary

*XML Tag:* Prtry

*Presence:* [1..1]

*Definition:* Proprietary identification of the features that may apply to a corporate action option.







The **Prtry** block contains the following elements (see datatype ["GenericIdentification30\\_\\_1" on page 40](#) for details)


Removed - 
 Partial Removed - 
 Ignored - 
 Partial Ignored - 
 Details below - 
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]	⚠	41
	SchemeName	<SchmeNm>		[0..1]	⚠	42

## 5.26 OptionNumber1Choice

*Definition:* Choice between an number and an option number in a code format.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Number	<Nb>	{Or	[1..1]		52
	Code	<Cd>	Or}	[1..1]		52

**Used in element(s)**

"OptionNumber" on page 24

### 5.26.1 Number

*XML Tag:* Nb

*Presence:* [1..1]

*Definition:* Number identifying the available corporate action options.

*Datatype:* "Exact3NumericText" on page 117

### 5.26.2 Code

*XML Tag:* Cd

*Presence:* [1..1]

*Definition:* Code identifying special corporate action option numbers.







*Datatype:* "OptionNumber1Code" on page 124



**Usage Guideline details**

- This element(seev.041.001.15/CorporateActionInstruction/OptionNumber/Code) is removed.

## 5.27 OriginalAndCurrentQuantities1\_\_1

*Definition:* Original and current value of an asset-back instrument.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FaceAmount	<FaceAmt>		[1..1]		53
	AmortisedValue	<AmtsdVal>		[1..1]		53

Used in element(s)

["OriginalAndCurrentFace" on page 67](#)

## 5.27.1 FaceAmount

XML Tag: FaceAmt

Presence: [1..1]

Definition: Quantity expressed as an amount representing the face amount, that is, the principal of a debt instrument.

Datatype: ["RestrictedFINImpliedCurrencyAndAmount" on page 144](#)

### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/StatusQuantity/OriginalAndCurrent-Face/FaceAmount](#)

Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)

## 5.27.2 AmortisedValue

XML Tag: AmtsdVal

Presence: [1..1]

Definition: Quantity expressed as an amount representing the current amortised face amount of a bond, for example, a periodic reduction/increase of a bond's principal amount.

Datatype: ["RestrictedFINImpliedCurrencyAndAmount" on page 144](#)







### Usage Guideline details


- on [seev.041.001.15/CorporateActionInstruction/StatusQuantity/OriginalAndCurrent-Face/AmortisedValue](#)

Type changed to: [RestrictedFINImpliedCurrencyAndAmount on page 144](#)

## 5.28 OtherIdentification1\_\_1

Definition: Other accepted financial instrument's identification than ISIN.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		54
	Suffix	<Sfx>		[0..1]		54
	Type	<Tp>		[1..1]		54

**Used in element(s)**

"OtherIdentification" on page 75

## 5.28.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification of a security.

Datatype: "RestrictedFINXMax31Text" on page 147

**Usage Guideline details**

- on seev.041.001.15/CorporateActionInstruction/FinancialInstrumentIdentification/OtherIdentification/Identification  
Type changed to: [RestrictedFINXMax31Text on page 147](#)
- on seev.041.001.15/CorporateActionInstruction/FinancialInstrumentIdentification/OtherIdentification/Identification  
Synonym (DTCC): Contra CUSIP

## 5.28.2 Suffix

XML Tag: Sfx

Presence: [0..1]

Definition: Identifies the suffix of the security identification.

Datatype: "Max16Text" on page 120







## 5.28.3 Type

XML Tag: Tp

Presence: [1..1]

Definition: Type of the identification.

The **Tp** block contains the following elements (see datatype "IdentificationSource3Choice\_1" on page 46 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		47
	Proprietary	<Prtry>	Or}	[1..1]	⚠	47

## 5.29 PartyIdentification127Choice\_\_1

*Definition:* Choice of identification of a party.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>	{Or	[1..1]		55
	ProprietaryIdentification	<PrtryId>	Or}	[1..1]		55

**Used in element(s)**

"AccountOwner" on page 26

### 5.29.1 AnyBIC

*XML Tag:* AnyBIC

*Presence:* [1..1]

*Definition:* Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

*Datatype:* "AnyBICDec2014Identifier" on page 78

### 5.29.2 ProprietaryIdentification

*XML Tag:* PrtryId

*Presence:* [1..1]

*Definition:* Unique and unambiguous identifier, as assigned to a financial institution using a proprietary identification scheme.

The **PrtryId** block contains the following elements (see datatype "GenericIdentification36\_\_2" on page 44 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	45
	Issuer	<Issr>		[1..1]	⚠	45
	SchemeName	<SchmeNm>		[0..1]	⚠	45

## 5.30 PendingCancellationReason10Choice\_\_1

*Definition:* Choice between a standard code or a proprietary code to specify the reason why a cancellation request sent for the related instruction is pending.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		56
	Proprietary	<Prtry>	Or}	[1..1]	🚫	56

Used in element(s)

"ReasonCode" on page 58

### 5.30.1 Code

*XML Tag:* Cd

*Presence:* [1..1]

*Definition:* Standard code to specify the reason why a cancellation request sent for the related instruction is pending.

*Datatype:* "PendingCancellationReason9Code" on page 124

### 5.30.2 Proprietary

*XML Tag:* Prtry

*Presence:* [1..1]

*Definition:* Proprietary identification of the reason why a cancellation request sent for the related instruction is pending.

The **Prtry** block contains the following elements (see datatype "GenericIdentification30\_\_1" on page 40 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]	⚠	41
	SchemeName	<SchmeNm>		[0..1]	⚠	42

Usage Guideline details

- This element(seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/ReasonCode/Proprietary) is removed.



## 5.31 PendingCancellationStatus18Choice\_\_1

*Definition:* Choice between a reason or no reason for the corporate action instruction cancellation pending cancellation status.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpcfdRsn>	{Or	[1..1]		57
	Reason	<Rsn>	Or}	[1..*]	🚫	57

Used in element(s)

"PendingCancellation" on page 49

### 5.31.1 NoSpecifiedReason

*XML Tag:* NoSpcfdRsn

*Presence:* [1..1]

*Definition:* Reason not specified.

*Datatype:* "NoReasonCode" on page 122

### 5.31.2 Reason

*XML Tag:* Rsn

*Presence:* [1..\*]

*Definition:* Reason for the pending cancellation status.

The **Rsn** block contains the following elements (see datatype "PendingCancellationStatusReason13\_\_1" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReasonCode	<RsnCd>		[1..1]		58
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]	⚠	58


Usage Guideline details

- This element(seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason) is removed.

## 5.32 PendingCancellationStatusReason13\_\_1

*Definition:* Specifies reasons for the pending cancellation status.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReasonCode	<RsnCd>		[1..1]		58
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]		58

## Rules

### R11 AdditionalReasonInformationRule

The AdditionalReasonInformation element must not contain information that can be provided in a structured field unless bilaterally agreed.

Error handling: Undefined

## Used in element(s)

"Reason" on page 57







## 5.32.1 ReasonCode


XML Tag: RsnCd

Presence: [1..1]

Definition: Specifies the reason why the cancellation request is pending.

The **RsnCd** block contains the following elements (see datatype "PendingCancellationReason10Choice\_1" on page 56 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		56
	Proprietary	<Prtry>	Or}	[1..1]		56

## 5.32.2 AdditionalReasonInformation

XML Tag: AddtlRsnInf

Presence: [0..1]

Definition: Provides additional information about the processed instruction.

Datatype: "RestrictedFINXMax210Text" on page 146







## Usage Guideline details




- on seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/AdditionalReasonInformation

Type changed to: RestrictedFINXMax210Text on page 146

## 5.33 ProprietaryQuantity8\_\_1

*Definition:* Proprietary quantity format.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>		[1..1]		59
	QuantityType	<QtyTp>		[1..1]		59
	Issuer	<Issr>		[1..1]		60
	SchemeName	<SchmeNm>		[0..1]		60

Used in element(s)

["ProprietaryQuantity" on page 65](#)

### 5.33.1 Quantity

*XML Tag:* Qty

*Presence:* [1..1]

*Definition:* Provides the proprietary quantity with a decimal number.

*Datatype:* ["RestrictedFINDecimalNumber" on page 144](#)

Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/ProprietaryQuantity/Quantity](#)  
 Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/ProprietaryQuantity/Quantity](#)  
 Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/ProprietaryQuantity/Quantity](#)  
 Type changed to: [RestrictedFINDecimalNumber on page 144](#)
- on [seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/ProprietaryQuantity/Quantity](#)  
 Type changed to: [RestrictedFINDecimalNumber on page 144](#)

### 5.33.2 QuantityType

*XML Tag:* QtyTp

*Presence:* [1..1]

*Definition:* Identifies the type of proprietary quantity reported.

*Datatype:* ["Exact4AlphaNumericText" on page 117](#)

### 5.33.3 Issuer

*XML Tag:* Issr

*Presence:* [1..1]

*Definition:* Provides information related to issuer in free format.

*Datatype:* ["Max4AlphaNumericText" on page 121](#)

#### Usage Guideline details

- on [seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/ProprietaryQuantity/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/ProprietaryQuantity/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/ProprietaryQuantity/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/ProprietaryQuantity/Issuer](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)

### 5.33.4 SchemeName

*XML Tag:* SchmeNm

*Presence:* [0..1]

*Definition:* Name of the identification scheme.

*Datatype:* ["Max4AlphaNumericText" on page 121](#)

#### Usage Guideline details







- on [seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/QuantityChoice/ProprietaryQuantity/SchemeName](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/CorporateActionInstruction/UninstructedBalance/QuantityChoice/ProprietaryQuantity/SchemeName](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)
- on [seev.041.001.15/CorporateActionInstruction/InstructedBalance/QuantityChoice/ProprietaryQuantity/SchemeName](#)  
Type changed to: [Max4AlphaNumericText on page 121](#)


- on [seev.041.001.15/CorporateActionInstruction/ProtectBalance/QuantityChoice/ProprietaryQuantity/SchemeName](#)

Type changed to: [Max4AlphaNumericText](#) on page 121

## 5.34 ProprietaryReason4\_\_1

*Definition:* Proprietary identification of the reason related to a status.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Reason	<Rsn>		[0..1]		61
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]		61

### Rules

#### R12 AdditionalReasonInformationRule

The AdditionalReasonInformation element must not contain information that can be provided in a structured field unless bilaterally agreed.

Error handling: Undefined

### Used in element(s)

"ProprietaryReason" on page 62







### 5.34.1 Reason



*XML Tag:* Rsn

*Presence:* [0..1]

*Definition:* Proprietary identification of the reason related to a status.

The **Rsn** block contains the following elements (see datatype "[GenericIdentification30\\_\\_1](#)" on [page 40](#) for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]		41
	SchemeName	<SchmeNm>		[0..1]		42

### 5.34.2 AdditionalReasonInformation

*XML Tag:* AddtlRsnInf

*Presence:* [0..1]

*Definition:* Provides additional information about the processed instruction.

*Datatype:* "RestrictedFINXMax210Text" on page 146

#### Usage Guideline details

- on [seev.041.001.15/InstructionCancellationRequestStatus/ProprietaryStatus/ProprietaryReason/AdditionalReasonInformation](#)

Type changed to: [RestrictedFINXMax210Text on page 146](#)

## 5.35 ProprietaryStatusAndReason6\_\_1

*Definition:* Provides the proprietary status and reason of an instruction or an instruction cancellation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ProprietaryStatus	<PrtrySts>		[1..1]		62
	ProprietaryReason	<PrtryRsn>		[0..*]		62

#### Used in element(s)

"ProprietaryStatus" on page 50

### 5.35.1 ProprietaryStatus

*XML Tag:* PrtrySts

*Presence:* [1..1]

*Definition:* Proprietary identification of the status related to an instruction.

The **PrtrySts** block contains the following elements (see datatype "GenericIdentification30\_\_1" on page 40 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]	⚠	41
	SchemeName	<SchmeNm>		[0..1]	⚠	42







### 5.35.2 ProprietaryReason


*XML Tag:* PrtryRsn

*Presence:* [0..\*]

*Definition:* Proprietary identification of the reason related to a proprietary status.







The **PrtryRsn** block contains the following elements (see datatype "ProprietaryReason4\_1" on page 61 for details)


 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Reason	<Rsn>		[0..1]		61
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]		61

## 5.36 ProtectInstruction4\_\_1

*Definition:* Provides detailed information on protect and cover protect instructions.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TransactionType	<TxTp>		[1..1]		63
	ProtectTransactionStatus	<PrctTxSts>		[0..1]		63
	TransactionIdentification	<TxId>		[0..1]		63
	ProtectDate	<PrctDt>		[0..1]		64
	UncoveredProtectQuantity	<UcvrdPrctQty>		[0..1]		64

**Used in element(s)**

"ProtectInstruction" on page 11

### 5.36.1 TransactionType

*XML Tag:* TxTp

*Presence:* [1..1]

*Definition:* Indicates whether the instruction is a protect or a cover protect instruction.

*Datatype:* "ProtectTransactionType3Code" on page 126

### 5.36.2 ProtectTransactionStatus

*XML Tag:* PrctTxSts

*Presence:* [0..1]

*Definition:* Status of the protect transaction.

*Datatype:* "ProtectInstructionStatus4Code" on page 126

### 5.36.3 TransactionIdentification

*XML Tag:* TxId

*Presence:* [0..1]

*Definition:* Unique reference of the protect transaction assigned by the depository and used for cover protect validation.

*Datatype:* ["RestrictedFINMax15Text" on page 145](#)

#### Usage Guideline details

- on [seev.041.001.15/ProtectInstruction/TransactionIdentification](#)  
Type changed to: [RestrictedFINMax15Text on page 145](#)

## 5.36.4 ProtectDate

*XML Tag:* PrtctDt

*Presence:* [0..1]

*Definition:* Date at which the protect instruction was created and used for cover protect validation.

*Datatype:* ["ISODate" on page 119](#)

## 5.36.5 UncoveredProtectQuantity

*XML Tag:* UcvrdPrtctQty

*Presence:* [0..1]

*Definition:* Remaining quantity of protect instruction which has not been covered.

The **UcvrdPrtctQty** block contains the following elements (see datatype ["FinancialInstrumentQuantity18Choice\\_\\_1" on page 35](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unit	<Unit>	{Or	[1..1]	⚠	36
	FaceAmount	<FaceAmt>	Or}	[1..1]	⚠	36

## 5.37 Quantity48Choice\_\_1

*Definition:* Choice between different quantity of security formats.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>	{Or	[1..1]		65
	ProprietaryQuantity	<PrtryQty>	Or}	[1..1]	🚫	65



Used in element(s)

"QuantityChoice" on page 76

## 5.37.1 Quantity

XML Tag: Qty

Presence: [1..1]

Definition: Quantity of security.

The **Qty** block contains the following elements (see datatype "FinancialInstrumentQuantity33Choice" on page 36 for details)

Removed - 
 Partial Removed - 
 Ignored - 
 Partial Ignored - 
 Details below - 
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unit	<Unit>	{Or	[1..1]		37
	FaceAmount	<FaceAmt>	Or	[1..1]		37
	AmortisedValue	<AmtsdVal>	Or	[1..1]		38
	DigitalTokenUnit	<DgtlTknUnit>	Or}	[1..1]		39

## 5.37.2 ProprietaryQuantity

XML Tag: PrtryQty

Presence: [1..1]

Definition: Proprietary quantity of security format.

The **PrtryQty** block contains the following elements (see datatype "ProprietaryQuantity8" on page 59 for details)

Removed - 
 Partial Removed - 
 Ignored - 
 Partial Ignored - 
 Details below - 
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>		[1..1]		59
	QuantityType	<QtyTp>		[1..1]		59
	Issuer	<Issr>		[1..1]		60
	SchemeName	<SchmeNm>		[0..1]		60

### Usage Guideline details

- This element(seev.041.001.15/CorporateActionInstruction/UninstructedBalance/Quantity-Choice/ProprietaryQuantity) is removed.
- This element(seev.041.001.15/CorporateActionInstruction/InstructedBalance/Quantity-Choice/ProprietaryQuantity) is removed.

- This element(seev.041.001.15/CorporateActionInstruction/TotalEligibleBalance/Quantity-Choice/ProprietaryQuantity) is removed.
- This element(seev.041.001.15/CorporateActionInstruction/ProtectBalance/Quantity-Choice/ProprietaryQuantity) is removed.

## 5.38 Quantity51Choice\_\_1

*Definition:* Choice of format for the quantity.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>	{Or	[1..1]	⚠	66
	OriginalAndCurrentFace	<OrgnlAndCurFace>	Or}	[1..1]	🚫	67

Used in element(s)

"StatusQuantity" on page 30

### 5.38.1 Quantity

*XML Tag:* Qty

*Presence:* [1..1]

*Definition:* Quantity of financial instrument in units, original face amount or current face amount.

The **Qty** block contains the following elements (see datatype "FinancialInstrumentQuantity33Choice\_\_1" on page 36 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unit	<Unit>	{Or	[1..1]	⚠	37
	FaceAmount	<FaceAmt>	Or	[1..1]	⚠	37
	AmortisedValue	<AmtsdVal>	Or	[1..1]	🚫 ⚠	38
	DigitalTokenUnit	<DgtlTknUnit>	Or}	[1..1]	🚫	39

Usage Guideline details

- on seev.041.001.15/CorporateActionInstruction/StatusQuantity/Quantity
  - **Market Practice Rule:**

Identifies the instructed quantity that was cancelled.

## 5.38.2 OriginalAndCurrentFace

*XML Tag:* OrgnlAndCurFace

*Presence:* [1..1]

*Definition:* Original and current value of an asset-back instrument.

The **OrgnlAndCurFace** block contains the following elements (see datatype "[OriginalAndCurrentQuantities1\\_\\_1](#)" on page 52 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FaceAmount	<FaceAmt>		[1..1]	⚠	53
	AmortisedValue	<AmtsdVal>		[1..1]	⚠	53

### Usage Guideline details

- This element(seev.041.001.15/CorporateActionInstruction/StatusQuantity/OriginalAndCurrent-Face) is removed.

## 5.39 RejectedReason69Choice\_\_1

*Definition:* Choice between a standard code and proprietary code to specify the reason why the instruction or cancellation request has a rejected status.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		67
	Proprietary	<Prtry>	Or}	[1..1]	🚫	67

### Used in element(s)

["ReasonCode"](#) on page 69

### 5.39.1 Code

*XML Tag:* Cd

*Presence:* [1..1]

*Definition:* Standard code to specify the reason why the instruction/cancellation request has a rejected status.

*Datatype:* ["RejectionReason90Code"](#) on page 126

### 5.39.2 Proprietary

*XML Tag:* Prtry

*Presence:* [1..1]

*Definition:* Proprietary identification of the reason why the instruction/cancellation request has a rejected status.

The **Prtry** block contains the following elements (see datatype "GenericIdentification30\_1" on page 40 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		41
	Issuer	<Issr>		[1..1]	⚠	41
	SchemeName	<SchmeNm>		[0..1]	⚠	42

#### Usage Guideline details

- This element(seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Proprietary) is removed.

## 5.40 RejectedStatus65Choice\_\_1

*Definition:* Choice between a reason and no reason for the corporate action instruction processing rejected status.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoSpecifiedReason	<NoSpcfdRsn>	{Or	[1..1]	🚫	68
	Reason	<Rsn>	Or}	[1..*]		69

#### Used in element(s)

"Rejected" on page 49

### 5.40.1 NoSpecifiedReason

*XML Tag:* NoSpcfdRsn

*Presence:* [1..1]

*Definition:* Reason not specified.

*Datatype:* "NoReasonCode" on page 122

## Usage Guideline details

- This element(seev.041.001.15/InstructionCancellationRequestStatus/Rejected/NoSpecifiedReason) is removed.







## 5.40.2 Reason


*XML Tag:* Rsn

*Presence:* [1..\*]

*Definition:* Reason for the rejected status.







The **Rsn** block contains the following elements (see datatype "RejectedStatusReason64\_\_1" on page 69 for details)


 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReasonCode	<RsnCd>		[1..1]		69
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]		70

## 5.41 RejectedStatusReason64\_\_1

*Definition:* Specifies reasons for the rejected status.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReasonCode	<RsnCd>		[1..1]		69
	AdditionalReasonInformation	<AddtlRsnInf>		[0..1]		70

### Rules

#### R10 AdditionalReasonInformationRule

The AdditionalReasonInformation element must not contain information that can be provided in a structured field unless bilaterally agreed.

Error handling: Undefined

### Used in element(s)

"Reason" on page 69

### 5.41.1 ReasonCode

*XML Tag:* RsnCd

*Presence:* [1..1]

*Definition:* Specifies the reason why the instruction or instruction cancellation has been rejected.

The **RsnCd** block contains the following elements (see datatype "[RejectedReason69Choice\\_1](#)" on [page 67](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		67
	Proprietary	<Prtry>	Or}	[1..1]	🚫	67

## 5.41.2 AdditionalReasonInformation

*XML Tag:* AddtlRsnInf

*Presence:* [0..1]

*Definition:* Provides additional information about the processed instruction.

*Datatype:* "[RestrictedFINXMax210Text](#)" on [page 146](#)

### Usage Guideline details

- on [seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/AdditionalReasonInformation](#)  
**Type changed to:** [RestrictedFINXMax210Text](#) on [page 146](#)
- on [seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/AdditionalReasonInformation](#)
  - **Market Practice Usage Rule:**  
Used when reason code is OTHR with pre set verbiage.

## 5.42 SafekeepingPlaceFormat42Choice\_\_1

*Definition:* Choice of formats for a place of safekeeping.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -  
**M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>	{Or	[1..1]		71
	Country	<Ctry>	Or	[1..1]		71
	DigitalLedgerIdentification	<DgtlLdgrId>	Or	[1..1]		71
	TypeAndIdentification	<TpAndId>	Or	[1..1]		71
	Proprietary	<Prtry>	Or}	[1..1]		72

Used in element(s)

["SafekeepingPlace" on page 28](#)







## 5.42.1 Identification


XML Tag: Id

Presence: [1..1]

Definition: Place of safekeeping expressed as a code and a narrative description.

The **Id** block contains the following elements (see datatype ["SafekeepingPlaceTypeAndText6\\_\\_1" on page 73](#) for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<SfkpgPlcTp>		[1..1]		73
	Identification	<Id>		[0..1]		73

## 5.42.2 Country

XML Tag: Ctry

Presence: [1..1]

Definition: Place of safekeeping expressed with a country code.

Datatype: ["CountryCode" on page 115](#)

## 5.42.3 DigitalLedgerIdentification

XML Tag: DgtlLdgrId

Presence: [1..1]

Definition: Place of safekeeping expressed with a Digital Ledger Identifier. It identifies a digital ledger or distributed ledger system (for example, blockchain or similar platforms).

Datatype: ["DTI2024Identifier" on page 117](#)







## 5.42.4 TypeAndIdentification

XML Tag: TpAndId

Presence: [1..1]

Definition: Place of safekeeping expressed with a type and identification.

The **TpAndId** block contains the following elements (see datatype ["SafekeepingPlaceTypeAndIdentification1" on page 72](#) for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<SfkpgPlcTp>		[1..1]		72
	Identification	<Id>		[1..1]		72







## 5.42.5 Proprietary


*XML Tag:* Prtry

*Presence:* [1..1]

*Definition:* Place of safekeeping expressed with a propriety identification scheme.







The **Prtry** block contains the following elements (see datatype "GenericIdentification78\_1" on page 45 for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		46
	Identification	<Id>		[0..1]		46

## 5.43 SafekeepingPlaceTypeAndIdentification1

*Definition:* Identification of the type of place of safekeeping expressed as a code and a BIC.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<SfkpgPlcTp>		[1..1]		72
	Identification	<Id>		[1..1]		72

**Used in element(s)**

"TypeAndIdentification" on page 71

### 5.43.1 SafekeepingPlaceType

*XML Tag:* SfkpgPlcTp

*Presence:* [1..1]

*Definition:* Place of safekeeping as a code.

*Datatype:* "SafekeepingPlace1Code" on page 148

### 5.43.2 Identification

*XML Tag:* Id









*Presence:* [1..1]


*Definition:* Place of safekeeping.

*Datatype:* ["AnyBICDec2014Identifier" on page 78](#)

## 5.44 SafekeepingPlaceTypeAndText6\_\_1

*Definition:* Identification of the place of safekeeping expressed as a code and a narrative description.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<SfkpgPlcTp>		[1..1]		73
	Identification	<Id>		[0..1]		73

**Used in element(s)**

["Identification" on page 71](#)

### 5.44.1 SafekeepingPlaceType

*XML Tag:* SfkpgPlcTp

*Presence:* [1..1]

*Definition:* Place of safekeeping as a code.

*Datatype:* ["SafekeepingPlace2Code" on page 148](#)

### 5.44.2 Identification

*XML Tag:* Id

*Presence:* [0..1]

*Definition:* Additional information about the place of safekeeping.







*Datatype:* ["RestrictedFINXMax30Text" on page 146](#)



**Usage Guideline details**

- on [seev.041.001.15/CorporateActionInstruction/SafekeepingPlace/Identification/Identification](#)  
Type changed to: [RestrictedFINXMax30Text on page 146](#)

## 5.45 SecurityIdentification19\_\_1

*Definition:* Identification of a security.

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ISIN	<ISIN>		[0..1]		75
	OtherIdentification	<OthrId>		[0..*]		75
	Description	<Desc>		[0..1]		75

## Rules

### R24 DescriptionPresenceRule ✓

If Description is not present then either ISIN or at least one occurrence of OtherIdentification must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00192
- *Error Text:* At least one identification must be present.

### R25 OtherIdentificationPresenceRule ✓

If OtherIdentification is not present then either ISIN or Description must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00193
- *Error Text:* At least one identification must be present.

### R26 ISINPresenceRule ✓

If ISIN is not present then either Description or at least one occurrence of OtherIdentification must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00194
- *Error Text:* At least one identification must be present.

### R27 DescriptionUsageRule

Description must be used alone as the last resort.

Error handling: Undefined

### R28 ISINGuideline

When an ISIN code exists, it is strongly recommended that the ISIN be used.

Error handling: Undefined

## Used in element(s)

"FinancialInstrumentIdentification" on page 28

## 5.45.1 ISIN

*XML Tag:* ISIN

*Presence:* [0..1]

*Definition:* International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.

*Datatype:* ["ISINOct2015Identifier" on page 119](#)

### Usage Guideline details

- This element(seev.041.001.15/CorporateActionInstruction/FinancialInstrumentIdentification/ISIN) is removed.







## 5.45.2 OtherIdentification


*XML Tag:* OthrlId

*Presence:* [0..\*]

*Definition:* Identification of a security by proprietary or domestic identification scheme.

The **OthrlId** block contains the following elements (see datatype ["OtherIdentification1 1" on page 53](#) for details)

 Removed - 
  Partial Removed - 
  Ignored - 
  Partial Ignored - 
  Details below - 
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		54
	Suffix	<Sfx>		[0..1]		54
	Type	<Tp>		[1..1]		54

## 5.45.3 Description

*XML Tag:* Desc

*Presence:* [0..1]

*Definition:* Textual description of a security instrument.

*Datatype:* ["RestrictedFINXMax140Text" on page 145](#)

### Usage Guideline details

- on seev.041.001.15/CorporateActionInstruction/FinancialInstrumentIdentification/Description  
Type changed to: [RestrictedFINXMax140Text on page 145](#)

## 5.46 SignedQuantityFormat11\_\_1

*Definition:* Signed quantity of security formats.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠️ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ShortLongPosition	<ShrtLngPos>		[1..1]		76
	QuantityChoice	<QtyChc>		[1..1]		76

**Used in element(s)**

"InstructedBalance" on page 29, "ProtectBalance" on page 29, "TotalEligibleBalance" on page 28, "UninstructedBalance" on page 29

### 5.46.1 ShortLongPosition

*XML Tag:* ShrtLngPos

*Presence:* [1..1]

*Definition:* Sign of the quantity of security.

*Datatype:* "ShortLong1Code" on page 149

### 5.46.2 QuantityChoice

*XML Tag:* QtyChc

*Presence:* [1..1]

*Definition:* Choice between different quantity of security formats.

The **QtyChc** block contains the following elements (see datatype "Quantity48Choice 1" on page 64 for details)


🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠️ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>	{Or	[1..1]		65
	ProprietaryQuantity	<PrtryQty>	Or}	[1..1]	🚫	65

## 5.47 SupplementaryData1

*Definition:* Additional information that can not be captured in the structured fields and/or any other specific block.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠️ Details below -  
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		77
	Envelope	<Envlp>		[1..1]		77

#### Rules

##### R4 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

#### Used in element(s)

"SupplementaryData" on page 11

## 5.47.1 PlaceAndName

*XML Tag:* PlcAndNm

*Presence:* [0..1]

*Definition:* Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

*Datatype:* "Max350Text" on page 120

#### Usage Guideline details

- This element(seev.041.001.15/SupplementaryData/PlaceAndName) is removed.

## 5.47.2 Envelope

*XML Tag:* Envlp

*Presence:* [1..1]

*Definition:* Technical element wrapping the supplementary data.

## 6 Message Datatypes

**Note** The following chapter identifies the datatypes that are used in the message.

### 6.1 ActiveCurrencyCode

*Definition:* A code allocated to a currency by a Maintenance Agency under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

*Type:* CodeSet

#### Format

pattern [A-Z]{3,3}

#### Rules

##### R21 ActiveCurrency ✓

The currency code must be a valid active currency code, not yet withdrawn on the day the message containing the currency is exchanged. Valid active currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and are not yet withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00005
- *Error Text:* Invalid currency code

#### Used in attribute(s)

"RestrictedFINActiveCurrencyAndAmount" on page 143

#### Restricts

"ParentCurrencyCode" on page 124

### 6.2 AnyBICDec2014Identifier

*Definition:* Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

*Type:* IdentifierSet

#### Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

**Rules****R3 AnyBIC ✓**

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00008
- *Error Text:* Invalid BIC.

**Used in element(s)**

["AnyBIC" on page 55](#), ["Identification" on page 72](#)

## 6.3 CancelledStatusReason5Code

*Definition:* Specifies the underlying reason for the cancellation of the associated transaction.

*Type:* CodeSet

Code	Name	Definition
CANI	CancelledByYourself	Transaction is cancelled by yourself.
OTHR	Other	Other. See Narrative.

**Used in element(s)**

["Code" on page 14](#)

**Restricts**

["CancelledStatusReasonV2Code" on page 79](#)

## 6.4 CancelledStatusReasonV2Code

*Definition:* See narrative field for reason.

*Type:* CodeSet

Code	Name	Definition
BYIY	CancelledDueToBuyIn	Instruction has been cancelled because a buy-in has been initiated.
CANH	CancelledByHub	Transaction is cancelled by the hub.
CANI	CancelledByYourself	Transaction is cancelled by yourself.
CANO	CancelledByOther	Transaction is cancelled by a party other than the instructing party, for example, a market infrastructure such as a stock exchange.
CANP	CancelledByInstructingParty	Transaction is cancelled by the instructing party.

Code	Name	Definition
CANS	CancelledBySystem	Transaction is cancelled by the system.
CANT	CancelledDueToTransformation	Original transaction has been cancelled and replaced due to a corporate action.
CANZ	CancelledSplitPartialSettlement	Original transaction has been cancelled and replaced to allow a partial or split settlement.
CNCL	CancelledByClient	Transaction is cancelled by the client.
CNIN	CancelledByIntermediary	Transaction is cancelled by the intermediary.
CNTA	CancelledByTransferAgent	Transaction is cancelled by the transfer agent.
CORP	CancelledDueToCorporateAction	Transaction has been cancelled due to a corporate action.
CREG	CancelledByIssuerRegistrar	Transaction has been cancelled by the issuer/registrar.
CSUB	CancelledByAgent	Instruction has been cancelled by the agent due to an event deadline extension.
CTHP	CancelledByThirdParty	Instruction is cancelled by a Third party.
CXLR	EndOfLife	Transaction is rejected by the executing party, the rejection is final therefore the order is cancelled in the system.
NARR	NarrativeReason	See narrative field for reason.
OTHR	Other	Other. See Narrative.
SCEX	SecuritiesNoLongerEligible	Transaction has been cancelled; the security no longer exists or is no longer eligible on the market instructed. For corporate action related cancellation, CORP should be used.

Is restricted by

"CancelledStatusReason5Code" on page 79

## 6.5 CorporateActionEventType40Code

*Definition:* Specifies the corporate action event type.

*Type:* CodeSet

Code	Name	Definition
ACCU	Accumulation	Funds related event in which the income (for example accumulation units) that accrues during an accounting period is retained within the fund instead of being paid away to investors. The retained income is nonetheless deemed to have been distributed to investors for tax purposes.



Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Accumulation) is removed.</li> </ul>
ACTV	ActiveTradingStatus	<p>Trading in the security has commenced or security has been re-activated after a suspension in trading.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/ActiveTradingStatus) is removed.</li> </ul>
ATTI	Attachment	<p>Combination of different security types to create a unit. Units are usually comprised of warrants and bonds or warrants and equities. Securities may be combined at the request of the security holder or based on market convention.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Attachment) is removed.</li> </ul>
BIDS	RepurchaseOffer	<p>Repurchase offer / issuer bid / reverse rights. Offer to existing holders by the issuing company to repurchase its own securities. The objective of the offer is to reduce the number of outstanding securities.</p>
BONU	BonusIssue	<p>Bonus or capitalisation issue. Security holders receive additional assets free of payment from the issuer, in proportion to their holding.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInforma-</li> </ul>

Code	Name	Definition
		<b>tion/EventType/Code/BonusIssue) is removed.</b>
BPUT	PutRedemption	Early redemption of a security at the election of the holder subject to the terms and condition of the issue with no reduction in nominal value.
BRUP	Bankruptcy	Legal status of a company unable to pay creditors. Bankruptcy usually involves a formal court ruling. Securities may become valueless.
CAPD	CapitalDistribution	<p>Corporate event pays shareholders an amount in cash issued from the capital account. There is no reduction to the face value of a single share (or the share has no par value). The number of circulating shares remains unchanged.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• <b>This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/CapitalDistribution) is removed.</b></li> </ul>
CAPG	CapitalGainsDistribution	<p>Event is the distribution of profits resulting from the sale of securities. Shareholders of mutual funds, unit trusts, or SICAVs are recipients of capital gains distributions and are often reinvested in additional shares of the fund.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• <b>This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/CapitalGainsDistribution) is removed.</b></li> </ul>
CAPI	Capitalisation	Increase of the current principal of a debt instrument without increasing the nominal value. It normally arises from the incorporation of due but unpaid interest into the principal. This is commonly done by increasing the pool factor value, for example, capitalisation, and negative amortisation.

Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Capitalisation) is removed.</li> </ul>
CERT	NonUSTEFRADCertification	<p>Non-US beneficial owner certification requirement for exchange of temporary to permanent notes.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/NonUSTEFRADCertification) is removed.</li> </ul>
CHAN	Change	<p>Information regarding a change further described in the corporate action details.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Change) is removed.</li> </ul>
CLSA	ClassActionProposedSettlement	<p>Situation where interested parties seek restitution for financial loss. The security holder may be offered the opportunity to join a class action proceeding and would need to respond with an instruction.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/ClassActionProposedSettlement) is removed.</li> </ul>
CONS	Consent	<p>Procedure that aims to obtain consent of holder to a proposal by the issuer or a third party without convening a meeting. For example, consent to change the terms of a bond.</p>

Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Consent</li> </ul> <p><b>Comment:</b> Solicitation to security holders for their agreement (consent) to proposed changes in the terms of the security, usually without a formal general meeting. A fee may be paid to the security holder.</p>
CONV	Conversion	<p>Conversion of securities (generally convertible bonds or preferred shares) into another form of securities (usually common shares) at a pre-stated price/ratio.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Conversion</li> </ul> <p><b>Comment:</b> Conversion of securities (generally convertible bonds or preferred shares) into another form of securities (usually common shares) at a pre-stated price or rate.</p>
COOP	CompanyOption	<p>Company option may be granted by the company, allowing the holder to take up shares at some future date(s) at a pre arranged price in the company. A company may not grant options which enable the holder to take up unissued shares at a time which is five or more years from the date of the grant. Option holders are not members of a company. They are contingent creditors of a company and hence may, in some instances, be entitled to vote on and be bound by a scheme of arrangement between the creditors and the company. As many options have multiple exercise periods a company option will either lapse or carry on to the next expiry date.</p>

Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/CompanyOption) is removed.</li> </ul>
CREV	CreditEvent	<p>Occurrence of credit derivative for which the issuer of one or several underlying securities is unable to fulfill its financial obligations (as defined in terms and conditions).</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/CreditEvent) is removed.</li> </ul>
DECR	DecreaseInValue	<p>Reduction of face value of a single share or the value of fund assets. The number of circulating shares/units remains unchanged. This event may include a cash payout to holders.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/DecreaseInValue) is removed.</li> </ul>
DETI	Detachment	<p>Separation of components that comprise a security, for example, usually units comprised of warrants and bond or warrants and equity. Units may be broken up at the request of the security holder or based on market convention.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Detachment) is removed.</li> </ul>

Code	Name	Definition
DFLT	BondDefault	<p>Failure by the company to perform obligations defined as default events under the bond agreement and that have not been remedied.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/BondDefault) is removed.</li> </ul>
DLST	TradingStatusDelisted	<p>Security is no longer able to comply with the listing requirements of a stock exchange and is removed from official board quotation.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/TradingStatusDelisted) is removed.</li> </ul>
DRAW	Drawing	<p>Securities are redeemed in part before the scheduled final maturity date. It is done without any pool factor reduction. The redemption is reflected in a debit of the face amount (FAMT). Drawing is distinct from partial call since drawn bonds are chosen by lottery. Therefore, not every holder is affected in the same way.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Drawing) is removed.</li> </ul>
DRCA	CashDistributionFromNonEligibleSecurities-Sales	<p>Distribution to shareholders of cash resulting from the selling of non-eligible securities, for example, in the frame of a depositary receipt program.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInforma-</li> </ul>

Code	Name	Definition
		tion/EventType/Code/CashDistributionFromNonEligibleSecuritiesSales) is removed.
DRIP	DividendReinvestment	<p>Dividend payment where holders can keep cash or have the cash reinvested in the market by the issuer into additional shares in the issuing company. To be distinguished from DVOP as the company invests the dividend in the market rather than creating new share capital in exchange for the dividend.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/DividendReinvestment) is removed.</li> </ul>
DACL	Disclosure	<p>Requirement for holders or beneficial owners to disclose their name, location and holdings of any issue to the issuer.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Disclosure) is removed.</li> </ul>
DTCH	DutchAuction	<p>Action by a party wishing to acquire a security. Holders of the security are invited to make an offer to sell, within a specific price range. The acquiring party will buy from the holder with lowest offer.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/DutchAuction</li> </ul> <p><b>Comment:</b> Identifies a tender event in which the corporation offers to purchase up to a certain amount of securities within a price range. Holders must submit a specific price within that range that they would be willing to accept. The actual</p>

Code	Name	Definition
		tender price is not determined until the end of the offer.
DVCA	CashDividend	<p>Distribution of cash to holders, in proportion to their equity holding. Ordinary dividends are recurring and regular. Holder must take cash and may be offered a choice of currencies.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/CashDividend) is removed.</li> </ul>
DVOP	DividendOption	<p>Distribution of a dividend to holders with a choice of benefit to receive additional securities or cash. To be distinguished from DRIP as the company creates new share capital in exchange for the dividend rather than investing the dividend in the market.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/DividendOption) is removed.</li> </ul>
DVSC	ScripDividend	<p>Dividend or interest paid in the form of scrip.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/ScripDividend) is removed.</li> </ul>
DVSE	StockDividend	<p>Dividend paid to shareholders in the form of equities of the issuing corporation.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInforma-</li> </ul>



Code	Name	Definition
		tion/EventType/Code/StockDividend) is removed.
EXOF	Exchange	<p>Exchange of holdings for other securities and/or cash. The exchange can be either mandatory or voluntary involving the exchange of outstanding securities for different securities and/or cash. For example "exchange offer", "capital reorganisation" or "funds separation".</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Exchange</li> </ul> <p><b>Comment:</b> An offer to surrender securities in exchange for other securities or a combination of securities and cash. The exchange may also include a consent solicitation.</p>
EXRI	CallOnIntermediateSecurities	Call or exercise on nil paid securities or intermediate securities resulting from an intermediate securities distribution (RHDI). This code is used for the second event, when an intermediate securities' issue (rights/coupons) is composed of two events, the first event being the distribution of intermediate securities.
EXTM	MaturityExtension	<p>As stipulated in the security's Terms and Conditions, the issuer or the holder may prolong the maturity date of a security. After extension, the security details may differ from the original issue. An issuer initiated extension may be subject to holder's approval.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/MaturityExtension) is removed.</li> </ul>
EXWA	WarrantExercise	Option offered to holders to buy (call warrant) or to sell (put warrant) a specific amount of stock, cash, or commodity, at a predetermined price, during a predetermined period of time (which usually corresponds to the life of the issue).

Code	Name	Definition
INCR	IncreaseInValue	<p>Increase in the face value of a single security. The number of circulating securities remains unchanged.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/IncreaseInValue) is removed.</li> </ul>
INTR	InterestPayment	<p>Interest payment distributed to holders of an interest bearing asset.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/InterestPayment) is removed.</li> </ul>
LIQU	LiquidationDividend	<p>Distribution of cash, assets or both. Debt may be paid in order of priority based on preferred claims to assets specified by the security.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/LiquidationDividend) is removed.</li> </ul>
MCAL	FullCall	<p>Redemption of an entire issue outstanding of securities, for example, bonds, preferred equity, funds, by the issuer or its agent, for example, asset manager, before final maturity.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/FullCall) is removed.</li> </ul>
MRGR	Merger	<p>Exchange of outstanding securities, initiated by the issuer which may include op-</p>

Code	Name	Definition
		<p>tions, as the result of two or more companies combining assets, that is, an external, third party company. Cash payments may accompany share exchange.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Merger</li> </ul> <p><b>Comment:</b> The exchange of one company's security for another company's security, cash, or a combination of cash and securities.</p>
NOOF	NonOfficialOffer	Offers that are not supervised or regulated by an official entity and being offered by a party, for example a broker, usually at a discount price, for example broker offer, mini-tender, mini odd lot offer or third party offer.
ODLT	OddLotSalePurchase	<p>Sale or purchase of odd-lots to/from the issuing company, initiated either by the holder of the security or through an offer made by the issuer.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Odd-LotSalePurchase</li> </ul> <p><b>Comment:</b> Identifies a tender offer event made by the corporation or its agent to purchase shares from odd-lot shareholders. An odd-lot shareholder typically refers to a holder of less than 100 shares of stock.</p>
OTHR	OtherEvent	<p>Other event, use only when no other event type applies, for example, a new event type.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/OtherEvent</li> </ul>

Code	Name	Definition
		<p>– <b>Market Practice Implementation Rule:</b></p> <p>Identifies DTCC events that do not have ISO equivalent definition. Additional identifiers in the message will provide a one to one mapping for the DTCC event. Complete mapping matrix is available in DTCC Events Dictionary. Unknown event type will be created for the announcement not recognised by the validation service.</p> <p>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/OtherEvent</p> <p><b>Synonym (DTCC):</b> Distribution</p>
PARI	PariPassu	<p>Occurs when securities with different characteristics, for example, shares with different entitlements to dividend or voting rights, become identical in all respects, for example, pari-passu or assimilation. May be scheduled in advance, for example, shares resulting from a bonus may become fungible after a pre-set period of time, or may result from outside events, for example, merger, reorganisation, issue of supplementary tranches.</p> <p><b>Usage Guideline restrictions for this code</b></p> <p>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/PariPassu) is removed.</p>
PCAL	PartialRedemptionWithoutPoolFactorReduction	<p>Securities are redeemed in part before their scheduled final maturity date. It is done without any pool factor reduction. The redemption is reflected in a debit of the face amount (FAMT).</p> <p><b>Usage Guideline restrictions for this code</b></p> <p>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/PartialRe-</p>

Code	Name	Definition
		<b>demptionWithoutPoolFactorReduction) is removed.</b>
PDEF	Prefunding	<p>Also called partial defeasance. Issuer has money set aside to redeem a portion of an issue and the indenture states that the securities could be called earlier than the stated maturity.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Prefunding) is removed.</li> </ul>
PINK	PayInKind	<p>Interest payment, in any kind except cash, distributed to holders of an interest bearing asset.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/PayInKind) is removed.</li> </ul>
PLAC	PlaceOfIncorporation	<p>Changes in the state of incorporation for US companies and changes in the place of incorporation for foreign companies. Where shares need to be registered following the incorporation change, the holder(s) may have to elect the registrar.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/PlaceOfIncorporation) is removed.</li> </ul>
PPMT	InstalmentCall	Instalment towards the purchase of equity capital, subject to an agreement between an issuer and a purchaser.

Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Instalment-Call) is removed.</li> </ul>
PRED	PartialRedemptionWithPoolFactorReduction	<p>Securities are redeemed in part before their scheduled final maturity date. The redemption is reflected in a pool factor reduction. No movement of securities occurs.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/PartialRedemptionWithPoolFactorReduction) is removed.</li> </ul>
PRI0	PriorityIssue	<p>Form of open or public offer where, due to a limited amount of securities available, priority is given to existing shareholders.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/PriorityIssue) is removed.</li> </ul>
REDM	FinalMaturity	<p>Redemption of an entire issue outstanding of securities, for example, bonds, preferred equity, funds, by the issuer or its agent, for example, asset manager, at final maturity.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/FinalMaturity</li> </ul> <p><b>Synonym (Redemption of Rights):</b> DTCC</p>

Code	Name	Definition
REDO	Redenomination	<p>Event by which the unit (currency and/or nominal) of a security is restated, for example, nominal/par value of security in a national currency is restated in another currency.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Redenomination) is removed.</li> </ul>
REMK	RemarketingAgreement	<p>Purchase and sale of remarketed preferred equities/bonds through the negotiation of interest rate between the issuers and the holders.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/RemarketingAgreement) is removed.</li> </ul>
RHDI	IntermediateSecuritiesDistribution	<p>Distribution of intermediate securities that gives the holder the right to take part in a future event.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/IntermediateSecuritiesDistribution) is removed.</li> </ul>
RHTS	RightsIssue	<p>Offer to holders of a security to subscribe for additional securities via the distribution of an intermediate security. Both processes are included in the same event.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInforma-</li> </ul>

Code	Name	Definition
		tion/EventType/Code/RightsIssue) is removed.
SHPR	SharesPremiumDividend	<p>Corporate event pays shareholders an amount in cash issued from the shares premium reserve. It is similar to a dividend but with different tax implications.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/SharesPremiumDividend) is removed.</li> </ul>
SMAL	SmallestNegotiableUnit	<p>Modification of the smallest negotiable unit of shares in order to obtain a new negotiable unit.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/SmallestNegotiableUnit) is removed.</li> </ul>
SOFF	SpinOff	<p>Distribution of securities issued by another company. The distributed securities may either be of a newly created or of an existing company. For example, spin-off, demerger, unbundling, divestment.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/SpinOff) is removed.</li> </ul>
SPLF	StockSplit	<p>Increase in a corporation's number of outstanding equities without any change in the shareholder's equity or the aggregate market value at the time of the split. Equity price and nominal value are reduced accordingly.</p>



Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/StockSplit) is removed.</li> </ul>
SPLR	ReverseStockSplit	Decrease in a company's number of outstanding equities without any change in the shareholder's equity or the aggregate market value at the time of the split. Equity price and nominal value are increased accordingly.
SUSP	TradingStatusSuspended	<p>Trading in the security has been suspended.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/TradingStatusSuspended) is removed.</li> </ul>
TEND	Tender	<p>Offer made to holders by a third party, requesting them to sell (tender) or exchange their securities.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Tender</li> </ul> <p><b>Comment:</b> TEND if Offeror driven</p>
TREC	TaxReclaim	<p>Event related to tax reclaim activities.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/TaxReclaim) is removed.</li> </ul>
WRTH	Worthless	Booking out of valueless securities.

Code	Name	Definition
		<b>Usage Guideline restrictions for this code</b> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/Worthless) is removed.</li> </ul>
WTRC	WithholdingTaxReliefCertification	Certification process for withholding tax reduction or exemption based on the tax status of the holder.  <b>Usage Guideline restrictions for this code</b> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionGeneralInformation/EventType/Code/WithholdingTaxReliefCertification) is removed.</li> </ul>

Used in element(s)

"Code" on page 18

Restricts

"CorporateActionEventTypeV7Code" on page 98

## 6.6 CorporateActionEventTypeV7Code

*Definition:* Specifies the corporate action event type.

*Type:* CodeSet

Code	Name	Definition
ACCU	Accumulation	Funds related event in which the income (for example accumulation units) that accrues during an accounting period is retained within the fund instead of being paid away to investors. The retained income is nonetheless deemed to have been distributed to investors for tax purposes.
ACTV	ActiveTradingStatus	Trading in the security has commenced or security has been re-activated after a suspension in trading.
ATTI	Attachment	Combination of different security types to create a unit. Units are usually comprised of warrants and bonds or warrants and equities. Securities may be combined at the request of the security holder or based on market convention.

Code	Name	Definition
BIDS	RepurchaseOffer	Repurchase offer / issuer bid / reverse rights. Offer to existing holders by the issuing company to repurchase its own securities. The objective of the offer is to reduce the number of outstanding securities.
BONU	BonusIssue	Bonus or capitalisation issue. Security holders receive additional assets free of payment from the issuer, in proportion to their holding.
BPUT	PutRedemption	Early redemption of a security at the election of the holder subject to the terms and condition of the issue with no reduction in nominal value.
BRUP	Bankruptcy	Legal status of a company unable to pay creditors. Bankruptcy usually involves a formal court ruling. Securities may become valueless.
CAPD	CapitalDistribution	Corporate event pays shareholders an amount in cash issued from the capital account. There is no reduction to the face value of a single share (or the share has no par value). The number of circulating shares remains unchanged.
CAPG	CapitalGainsDistribution	Event is the distribution of profits resulting from the sale of securities. Shareholders of mutual funds, unit trusts, or SICAVs are recipients of capital gains distributions and are often reinvested in additional shares of the fund.
CAPI	Capitalisation	Increase of the current principal of a debt instrument without increasing the nominal value. It normally arises from the incorporation of due but unpaid interest into the principal. This is commonly done by increasing the pool factor value, for example, capitalisation, and negative amortisation.
CERT	NonUSTEFRADCertification	Non-US beneficial owner certification requirement for exchange of temporary to permanent notes.
CHAN	Change	Information regarding a change further described in the corporate action details.
CLSA	ClassActionProposedSettlement	Situation where interested parties seek restitution for financial loss. The security holder may be offered the opportunity to join a class action proceeding and would need to respond with an instruction.
CMET	CourtMeeting	Announcement of a meeting at a Court.
CONS	Consent	Procedure that aims to obtain consent of holder to a proposal by the issuer or a third party without convening a meeting. For example, consent to change the terms of a bond.

Code	Name	Definition
CONV	Conversion	Conversion of securities (generally convertible bonds or preferred shares) into another form of securities (usually common shares) at a pre-stated price/ratio.
COOP	CompanyOption	Company option may be granted by the company, allowing the holder to take up shares at some future date(s) at a pre arranged price in the company. A company may not grant options which enable the holder to take up unissued shares at a time which is five or more years from the date of the grant. Option holders are not members of a company. They are contingent creditors of a company and hence may, in some instances, be entitled to vote on and be bound by a scheme of arrangement between the creditors and the company. As many options have multiple exercise periods a company option will either lapse or carry on to the next expiry date.
CPST	CouponStripping	Coupon stripping is the process whereby interest coupons for future payment dates are separated from the security corpus that entitles the holder to the principal repayment.
CREV	CreditEvent	Occurrence of credit derivative for which the issuer of one or several underlying securities is unable to fulfill its financial obligations (as defined in terms and conditions).
DECR	DecreaseInValue	Reduction of face value of a single share or the value of fund assets. The number of circulating shares/units remains unchanged. This event may include a cash payout to holders.
DETI	Detachment	Separation of components that comprise a security, for example, usually units comprised of warrants and bond or warrants and equity. Units may be broken up at the request of the security holder or based on market convention.
DFLT	BondDefault	Failure by the company to perform obligations defined as default events under the bond agreement and that have not been remedied.
DLST	TradingStatusDelisted	Security is no longer able to comply with the listing requirements of a stock exchange and is removed from official board quotation.
DRAW	Drawing	Securities are redeemed in part before the scheduled final maturity date. It is done without any pool factor reduction. The redemption is reflected in a debit of the face amount (FAMT). Drawing is distinct from partial call since drawn bonds are chosen by lottery. Therefore,

Code	Name	Definition
		not every holder is affected in the same way.
DRCA	CashDistributionFromNonEligibleSecurities-Sales	Distribution to shareholders of cash resulting from the selling of non-eligible securities, for example, in the frame of a depositary receipt program.
DRIP	DividendReinvestment	Dividend payment where holders can keep cash or have the cash reinvested in the market by the issuer into additional shares in the issuing company. To be distinguished from DVOP as the company invests the dividend in the market rather than creating new share capital in exchange for the dividend.
DSCL	Disclosure	Requirement for holders or beneficial owners to disclose their name, location and holdings of any issue to the issuer.
DTCH	DutchAuction	Action by a party wishing to acquire a security. Holders of the security are invited to make an offer to sell, within a specific price range. The acquiring party will buy from the holder with lowest offer.
DVCA	CashDividend	Distribution of cash to holders, in proportion to their equity holding. Ordinary dividends are recurring and regular. Holder must take cash and may be offered a choice of currencies.
DVOP	DividendOption	Distribution of a dividend to holders with a choice of benefit to receive additional securities or cash. To be distinguished from DRIP as the company creates new share capital in exchange for the dividend rather than investing the dividend in the market.
DVSC	ScripDividend	Dividend or interest paid in the form of scrip.
DVSE	StockDividend	Dividend paid to shareholders in the form of equities of the issuing corporation.
ERED	EarlyRedemption	<p>This includes drawing, partial and full call, put.</p> <p>Redemption in part or full before the scheduled final maturity date of a security, subject to the terms and conditions of the issue.</p> <p>Drawing - Securities are redeemed in part by lottery.</p> <p>Partial Call - Securities are redeemed in part by reducing proportionally the outstanding amount of securities.</p> <p>Put - Early redemption of a bond at the election of the bondholder.</p>

Code	Name	Definition
		Full Call - The entire outstanding of a security is redeemed by the issuer.
EXOF	Exchange	Exchange of holdings for other securities and/or cash. The exchange can be either mandatory or voluntary involving the exchange of outstanding securities for different securities and/or cash. For example "exchange offer", "capital reorganisation" or "funds separation".
EXOP	ExchangeOption	Event is an option for the shareholders to exchange their securities for other securities and/or cash. Exchange options are mentioned in the terms and conditions of a security and are valid during the whole lifetime of a security.
EXRI	CallOnIntermediateSecurities	Call or exercise on nil paid securities or intermediate securities resulting from an intermediate securities distribution (RHDI). This code is used for the second event, when an intermediate securities' issue (rights/coupons) is composed of two events, the first event being the distribution of intermediate securities.
EXTM	MaturityExtension	As stipulated in the security's Terms and Conditions, the issuer or the holder may prolong the maturity date of a security. After extension, the security details may differ from the original issue. An issuer initiated extension may be subject to holder's approval.
EXWA	WarrantExercise	Option offered to holders to buy (call warrant) or to sell (put warrant) a specific amount of stock, cash, or commodity, at a predetermined price, during a predetermined period of time (which usually corresponds to the life of the issue).
INCR	IncreaseInValue	Increase in the face value of a single security. The number of circulating securities remains unchanged.
INFO	Information	Information provided by the issuer having no accounting/financial impact on the holder.
INTR	InterestPayment	Interest payment distributed to holders of an interest bearing asset.
LIQU	LiquidationDividend	Distribution of cash, assets or both. Debt may be paid in order of priority based on preferred claims to assets specified by the security.
MCAL	FullCall	Redemption of an entire issue outstanding of securities, for example, bonds, preferred equity, funds, by the issuer or its agent, for example, asset manager, before final maturity.
MEET	AnnualGeneralMeeting	Meeting Annual general meeting.

Code	Name	Definition
MRGR	Merger	Exchange of outstanding securities, initiated by the issuer which may include options, as the result of two or more companies combining assets, that is, an external, third party company. Cash payments may accompany share exchange.
MTNG	SecuritiesHoldersMeeting	Ordinary or annual or extraordinary or special general meeting.
NAME	NameChange	Event is a name change. The issuing company changes its name. The event shows the change from old name to new name and may involve surrendering physical shares with the old name to the registrar.
NOOF	NonOfficialOffer	Offers that are not supervised or regulated by an official entity and being offered by a party, for example a broker, usually at a discount price, for example broker offer, mini-tender, mini odd lot offer or third party offer.
ODLT	OddLotSalePurchase	Sale or purchase of odd-lots to/from the issuing company, initiated either by the holder of the security or through an offer made by the issuer.
OMET	OrdinaryGeneralMeeting	Ordinary general meeting.
OTHR	OtherEvent	Other event, use only when no other event type applies, for example, a new event type.
PARI	PariPassu	Occurs when securities with different characteristics, for example, shares with different entitlements to dividend or voting rights, become identical in all respects, for example, pari-passu or assimilation. May be scheduled in advance, for example, shares resulting from a bonus may become fungible after a pre-set period of time, or may result from outside events, for example, merger, reorganisation, issue of supplementary tranches.
PCAL	PartialRedemptionWithoutPoolFactorReduction	Securities are redeemed in part before their scheduled final maturity date. It is done without any pool factor reduction. The redemption is reflected in a debit of the face amount (FAMT).
PDEF	Prefunding	Also called partial defeasance. Issuer has money set aside to redeem a portion of an issue and the indenture states that the securities could be called earlier than the stated maturity.
PINK	PayInKind	Interest payment, in any kind except cash, distributed to holders of an interest bearing asset.
PLAC	PlaceOfIncorporation	Changes in the state of incorporation for US companies and changes in the

Code	Name	Definition
		place of incorporation for foreign companies. Where shares need to be registered following the incorporation change, the holder(s) may have to elect the registrar.
PPMT	InstalmentCall	Instalment towards the purchase of equity capital, subject to an agreement between an issuer and a purchaser.
PRED	PartialRedemptionWithPoolFactorReduction	Securities are redeemed in part before their scheduled final maturity date. The redemption is reflected in a pool factor reduction. No movement of securities occurs.
PRII	InterestPaymentWithPrincipal	Event which consists of two components, the decrease of the amortized value of a pool factor security and an interest payment.
PRIO	PriorityIssue	Form of open or public offer where, due to a limited amount of securities available, priority is given to existing shareholders.
RCLA	Reclassification	Securities related event which reclassifies the distribution in various types of income for US tax withholding purposes.
REDM	FinalMaturity	Redemption of an entire issue outstanding of securities, for example, bonds, preferred equity, funds, by the issuer or its agent, for example, asset manager, at final maturity.
REDO	Redenomination	Event by which the unit (currency and/or nominal) of a security is restated, for example, nominal/par value of security in a national currency is restated in another currency.
REMK	RemarketingAgreement	Purchase and sale of remarketed preferred equities/bonds through the negotiation of interest rate between the issuers and the holders.
RHDI	IntermediateSecuritiesDistribution	Distribution of intermediate securities that gives the holder the right to take part in a future event.
RHTS	RightsIssue	Offer to holders of a security to subscribe for additional securities via the distribution of an intermediate security. Both processes are included in the same event.
RMRK	Remarketing	Purchase and sale of remarketed preferred equities/bonds through the negotiation of interest rate between the issuers and the holders.
SHPR	SharesPremiumDividend	Corporate event pays shareholders an amount in cash issued from the shares premium reserve. It is similar to a dividend but with different tax implications.



Code	Name	Definition
SMAL	SmallestNegotiableUnit	Modification of the smallest negotiable unit of shares in order to obtain a new negotiable unit.
SOFF	SpinOff	Distribution of securities issued by another company. The distributed securities may either be of a newly created or of an existing company. For example, spin-off, demerger, unbundling, divestment.
SPLF	StockSplit	Increase in a corporation's number of outstanding equities without any change in the shareholder's equity or the aggregate market value at the time of the split. Equity price and nominal value are reduced accordingly.
SPLR	ReverseStockSplit	Decrease in a company's number of outstanding equities without any change in the shareholder's equity or the aggregate market value at the time of the split. Equity price and nominal value are increased accordingly.
SUBS	Subscription	Ability for security holders to purchase (additional or new) securities at a certain price, in proportion to their holding.
SUSP	TradingStatusSuspended	Trading in the security has been suspended.
TEND	Tender	Offer made to holders by a third party, requesting them to sell (tender) or exchange their securities.
TNDP	TaxOnNonDistributedProceeds	Taxable component on non-distributed proceeds, for example, Australian deemed income or US 871m income regulation.
TREC	TaxReclaim	Event related to tax reclaim activities.
WRTH	Worthless	Booking out of valueless securities.
WTRC	WithholdingTaxReliefCertification	Certification process for withholding tax reduction or exemption based on the tax status of the holder.
XMET	ExtraordinaryGeneralMeeting	Extraordinary or Special General Meeting. Extraordinary or special general meeting.

Is restricted by

"CorporateActionEventType40Code" on page 80

## 6.7 CorporateActionOption17Code

*Definition:* Specifies the type of corporate action options.

*Type:* CodeSet

Code	Name	Definition
ABST	Abstain	<p>Vote expressed as abstain. In this case, the issuing company will add the number of shares to the quorum of the meeting.</p> <p>If the voting right is not executed, it will not be added to the quorum. In this case, code NOAC should be used.</p>
BOBD	BeneficialOwnerBreakdownRequest	<p>Breakdown of beneficial ownership required for withholding tax reclaim event.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/BeneficialOwnerBreakdownRequest) is removed.</li> </ul>
BSPL	BonusSharePlan	<p>Receive equities from the share premium reserve of the company and considered as a capital distribution rather than a disbursement of income with different tax implications (typically found in Australia).</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/BonusSharePlan) is removed.</li> </ul>
BUYA	BuyUp	<p>Buy additional securities to round up position.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/BuyUp) is removed.</li> </ul>
CASE	CashAndSecurity	<p>Option to choose between different security and cash options.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/CashAndSecurity</li> </ul>

Code	Name	Definition
		<p><b>Synonym (DTCC):</b> Cash And Securities</p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/CashAndSecurity</li> </ul> <p><b>Comment:</b> Holder to receive a combination of cash and securities.</p>
CASH	Cash	<p>Option to choose cash.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash <p><b>Synonym (DTCC):</b> Foreign Currency Payment</p> </li> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash <p><b>Synonym (DTCC):</b> Foreign Tax Unfavourable</p> </li> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash <p><b>Synonym (DTCC):</b> Foreign Currency Payment Exempt</p> </li> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash <p><b>Synonym (DTCC):</b> Foreign Currency Payment Favourable</p> </li> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash <p><b>Synonym (DTCC):</b> Cash</p> </li> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash <p><b>Synonym (DTCC):</b> Foreign Tax Exempt</p> </li> </ul>

Code	Name	Definition
		<ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash</li> </ul> <p><b>Synonym (DTCC):</b> Foreign Currency Payment Unfavourable</p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Cash</li> </ul> <p><b>Comment:</b></p> <p>Cash: holder to receive cash.</p> <p>Foreign Tax Un-favourable/Favourable/Exempt: DTC only option. The event and security are eligible for Foreign Tax Relief service at DTC. Option to select Un-favourable/Favourable/Exempt respectively for this service.</p> <p>Foreign Currency Payment: DTC only option. The event and security are eligible for Foreign Currency Payment service at DTC. Participant will receive their distribution in the foreign currency instructed.</p> <p>Foreign Currency Payment Un-favourable/Favourable/Exempt: The event and security are eligible for Foreign Currency Payment service at DTC. Participant will receive their distribution in the foreign currency and the tax withholding on that distribution will be subject to Un-favourable/Favourable/Exempt tax withholding respectively.</p>
CEXC	ConsentAndExchange	<p>Vote to consent to change the terms of the securities agreement and to exchange securities.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ConsentAndExchange</li> </ul> <p><b>Synonym (DTCC):</b> Consent And Exchange</p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-</li> </ul>

Code	Name	Definition
		<b>Type/Code/ConsentAndExchange</b>  <b>Comment:</b> Holder to submit securities for exchange in addition to voting to approve the proposal.
CONN	ConsentDenied	Vote not to approve the event or proposal.  <b>Usage Guideline restrictions for this code</b> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ConsentDenied</li> </ul> <b>Synonym (DTCC):</b> Consent Denied <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ConsentDenied</li> </ul> <b>Comment:</b> Applies where the holder disagrees to the proposal made by the issuer.
CONY	ConsentGranted	Vote to approve the event or proposal.  <b>Usage Guideline restrictions for this code</b> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ConsentGranted</li> </ul> <b>Synonym (DTCC):</b> Consent Granted <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ConsentGranted</li> </ul> <b>Comment:</b> Applies where the holder agrees to the proposal made by the issuer.
CTEN	ConsentAndTender	Vote to consent to change the terms of the securities agreement and to tender securities for cash.

Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ConsentAndTender</li> </ul> <p><b>Synonym (DTCC):</b> Consent And Tender</p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ConsentAndTender</li> </ul> <p><b>Comment:</b> Applies to exchange offer events that may include a consent fee.</p>
EXER	Exercise	Exercise intermediate securities or warrants.
LAPS	Lapse	<p>Allow event or entitled security to expire.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Lapse) is removed.</li> </ul>
MKDW	MarkDown	<p>Mark down the global certificate as a result of a corporate action (instruction from International Central Securities Depositories (ICSDs) to common depositories who are holding the global certificate on behalf of the International Central Securities Depositories (ICSDs)).</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/MarkDown) is removed.</li> </ul>
MKUP	MarkUp	Mark up the global certificate as a result of a corporate action (instruction from International Central Securities Depositories (ICSDs) to common depositories who are holding the global certificate on behalf of the International Central Securities Depositories (ICSDs)).

Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/MarkUp) is removed.</li> </ul>
MPUT	Retain	Option that allows a holder to elect to retain their holding, for example, a putable bond.
NOAC	NoAction	Option for the account owner not to take part in the event. This would include opt-out for class actions and lodging of dissenters' rights.
NOQU	NonQualifiedInvestor	<p>Account owner is a non-qualified investor.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/NonQualifiedInvestor) is removed.</li> </ul>
OFFR	ProposedRate	<p>In a remarketing of variable notes, the margin that shareholders can propose in respect of the next interest period.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/ProposedRate) is removed.</li> </ul>
OTHR	Other	<p>Generic corporate action option to be used in case that no other specific code is appropriate.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Other <ul style="list-style-type: none"> <li>– DTCC Other Option Type Rule:</li> </ul> </li> </ul>

Code	Name	Definition
		<p>Identifies option type that does not have ISO equivalent.</p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Other</li> </ul> <p>Synonym (DTCC): Other</p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Other</li> </ul> <p><b>Comment:</b> Applies when a specific option code cannot be used.</p>
OVER	Oversubscribe	Subscribe to more equities than underlying securities position allows.
PRUN	UnknownProceeds	<p>Proceeds not known during election period. The option can result in cash and/or securities.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/UnknownProceeds</li> </ul> <p>Synonym (DTCC): Convert</p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/UnknownProceeds</li> </ul> <p><b>Comment:</b> Holder elects to convert security into a new security, cash or combination of cash and securities, without knowledge of the actual outcome.</p>
QINV	QualifiedInvestor	<p>Account owner is a qualified investor.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/QualifiedInvestor) is removed.</li> </ul>
SECU	Security	Distribution of securities to holders.



Code	Name	Definition
		<p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Security</li> </ul> <p><b>Synonym (DTCC):</b> Securities</p> <ul style="list-style-type: none"> <li>on seev.041.001.15/CorporateActionInstruction/Option-Type/Code/Security</li> </ul> <p><b>Comment:</b> Applies to events for which holders can buy additional securities after fully exercising basic subscription.</p>
SLLE	SellEntitlement	Sell the intermediate securities.
TAXI	TaxInstruction	<p>Tax instruction.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>This code(seev.041.001.15/CorporateActionInstruction/Option-Type/Code/TaxInstruction) is removed.</li> </ul>

Used in element(s)

["Code" on page 31](#)

Restricts

["CorporateActionOptionCode" on page 113](#)

## 6.8 CorporateActionOptionCode

*Definition:* Specifies the type of corporate action options offered to the account holder for a corporate action.

*Type:* CodeSet

Code	Name	Definition
ABST	Abstain	<p>Vote expressed as abstain. In this case, the issuing company will add the number of shares to the quorum of the meeting.</p> <p>If the voting right is not executed, it will not be added to the quorum. In this case, code NOAC should be used.</p>

Code	Name	Definition
AMGT	VoteAgainstManagement	Vote against management.
BOBD	BeneficialOwnerBreakdownRequest	Breakdown of beneficial ownership required for withholding tax reclaim event.
BSPL	BonusSharePlan	Receive equities from the share premium reserve of the company and considered as a capital distribution rather than a disbursement of income with different tax implications (typically found in Australia).
BUYA	BuyUp	Buy additional securities to round up position.
CASE	CashAndSecurity	Option to choose between different security and cash options.
CASH	Cash	Option to choose cash.
CERT	Certification	Certification is provided.
CEXC	ConsentAndExchange	Vote to consent to change the terms of the securities agreement and to exchange securities.
CONN	ConsentDenied	Vote not to approve the event or proposal.
CONY	ConsentGranted	Vote to approve the event or proposal.
CTEN	ConsentAndTender	Vote to consent to change the terms of the securities agreement and to tender securities for cash.
EXER	Exercise	Exercise intermediate securities or warrants.
LAPS	Lapse	Allow event or entitled security to expire.
MKDW	MarkDown	Mark down the global certificate as a result of a corporate action (instruction from International Central Securities Depositories (ICSDs) to common depositories who are holding the global certificate on behalf of the International Central Securities Depositories (ICSDs)).
MKUP	MarkUp	Mark up the global certificate as a result of a corporate action (instruction from International Central Securities Depositories (ICSDs) to common depositories who are holding the global certificate on behalf of the International Central Securities Depositories (ICSDs)).
MNGT	VoteWithManagement	Vote with management.
MPUT	Retain	Option that allows a holder to elect to retain their holding, for example, a puttable bond.
NOAC	NoAction	Option for the account owner not to take part in the event. This would include opt-out for class actions and lodging of dissenters' rights.

Code	Name	Definition
NOQU	NonQualifiedInvestor	Account owner is a non-qualified investor.
OFFR	ProposedRate	In a remarketing of variable notes, the margin that shareholders can propose in respect of the next interest period.
OTHR	Other	Generic corporate action option to be used in case that no other specific code is appropriate.
OVER	Oversubscribe	Subscribe to more equities than underlying securities position allows.
PROX	ProxyCard	Issue a proxy card in case of voting.
PRUN	UnknownProceeds	Proceeds not known during election period. The option can result in cash and/or securities.
QINV	QualifiedInvestor	Account owner is a qualified investor.
SECU	Security	Distribution of securities to holders.
SLLE	SellEntitlement	Sell the intermediate securities.
SPLI	SplitInstruction	Option to give a split instruction, for example, a split voting instruction on a meeting.
TAXI	TaxInstruction	Tax instruction.

Is restricted by

"CorporateActionOption17Code" on page 105

## 6.9 CountryCode

*Definition:* Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

*Type:* CodeSet

### Format

pattern [A-Z]{2,2}

### Rules

#### R23 Country ✓

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

"Country" on page 71

## 6.10 DTCTInstructionStatusCode

*Definition:* DTC (The Depository Trust Company) system status code of instruction.

*Type:* CodeSet

Code	Name	Definition
CANC	Cancel	Instruction cancelled by client relating to survivor option event.
CCAN	ConversionCancellation	Cancellation of conversion instruction upon agent approval only.
COVR	FullyCovered	Protect instruction has been fully covered.
DROP	Dropped	Instruction dropped due to insufficient position.
EDRJ	EditReject	Transaction rejected.
EXPI	Expired	Protect instruction has expired.
MADE	Made	Fully processed instruction.
OPEN	Open	Protect instruction which has not been fully covered. Will include partial covers.
PDOC	PendingDocumentation	Instruction for CD early redemption awaiting paperwork. Instruction will become MADE when DTC releases instruction upon paperwork.
PENA	PendingApproval	Instruction pending release or delete from approval function.
PEND	Pending	Instruction waiting for update after submission.
RECY	Recycle	Instruction waiting for position. Instruction will subsequently either become "Made" or "Dropped" by end of day.
REJA	RejectedByAgent	Instruction or withdrawal rejected by agent relating to survivor option event.
REJT	Reject	Instruction did not pass initial validation.
REMD	RecycleMade	Previously recycled transactions have been "MADE" and the system is processing the updates.
RESC	Rescinded	Rescinded by Issuer.
SWUN	Swung	Instruction moved from one client account to another for put events.
WITH	Withdrawn	Client instruction withdrawn for events with withdrawal privilege.

Is restricted by

"ProtectInstructionStatus4Code" on page 126

## 6.11 DTI2024Identifier

*Definition:* The Digital Token Identifier (DTI) is an 8 character code assigned to fungible digital assets which uses distributed ledger technology for its issuance, storage, exchange, record of ownership or transaction validation and is not a currency (ISO 4217) as described in ISO 24165 - DTI. A check character, using the same character set as the base number, shall be calculated and added.

*Type:* IdentifierSet

### Format

pattern [1-9B-DF-HJ-NP-TV-XZ][0-9B-DF-HJ-NP-TV-XZ]{8,8}

### Used in element(s)

"DigitalLedgerIdentification" on page 71

## 6.12 Exact3NumericText

*Definition:* Specifies a numeric string with an exact length of 3 digits.

*Type:* Text

### Format

pattern [0-9]{3}

### Used in element(s)

"Number" on page 52, "ShortNumber" on page 35

## 6.13 Exact4AlphaNumericText

*Definition:* Specifies an alphanumeric string with a length of 4 characters.

*Type:* Text

### Format

pattern [a-zA-Z0-9]{4}

### Used in element(s)

"Identification" on page 40, "Identification" on page 41, "QuantityType" on page 59

## 6.14 ExternalFinancialInstrument- IdentificationType1Code

*Definition:* Specifies the external financial instrument identification type scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

maxLength	4
minLength	1

**Used in element(s)**

"Code" on page 47

**Restricts**

"ExternalFinancialInstrumentIdentificationTypeCode" on page 118

## 6.15 ExternalFinancialInstrument-IdentificationTypeCode

*Definition:* Specifies the external financial instrument identification type scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

maxLength	4
minLength	1

**Is restricted by**

"ExternalFinancialInstrumentIdentificationType1Code" on page 117

## 6.16 IBAN2007Identifier

*Definition:* The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

*Type:* IdentifierSet

**Format**

pattern	[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}
---------	---------------------------------------

**Rules**

**R22 IBAN ✓**

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

- *Error severity*: Fatal
- *Error Code*: D00003
- *Error Text*: Invalid IBAN format or invalid check digits.

**Used in element(s)**

["IBAN" on page 17](#)

## 6.17 ISINOct2015Identifier

*Definition*: The International Securities Identification Number is a code allocated to financial instruments as well as referential instruments, as described in the ISO 6166 standard, associated with the minimum descriptive data. The ISIN consists of a prefix using the alpha-2 country codes or reserved codes specified in ISO 3166 or other prefixes as may be determined by the Registration Authority for the ISO 6166 standard, a nine characters (alphanumeric) basic code and a check digit.

Note: this identifier also supports the new version of the standard, which was published in 2021 (ISO 6166:2021) as there is no update in the pattern.

*Type*: IdentifierSet

**Format**

pattern [A-Z]{2,2}[A-Z0-9]{9,9}[0-9]{1,1}

**Used in element(s)**

["ISIN" on page 75](#)

## 6.18 ISO20022MessageIdentificationText

*Definition*: ISO 20022 Message identifier of an MX message.

*Type*: Text

**Format**

pattern [a-z]{4}\.[0-9]{3}\.[0-9]{3}\.[0-9]{2}

**Used in element(s)**

["LongNumber" on page 35](#)

## 6.19 ISODate

*Definition*: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

*Type:* Date

**Used in element(s)**

"ProtectDate" on page 64

## 6.20 Max140Text

*Definition:* Specifies a character string with a maximum length of 140 characters.

*Type:* Text

**Format**

maxLength	140
minLength	1

**Used in element(s)**

"Identification" on page 13

## 6.21 Max16Text

*Definition:* Specifies a character string with a maximum length of 16 characters.

*Type:* Text

**Format**

maxLength	16
minLength	1

**Used in element(s)**

"Suffix" on page 54

## 6.22 Max30DecimalNumber

*Definition:* Number of objects represented as a decimal number, for example 0.75 or 45.6 with a maximum of 30 digits and 29 fraction digits.

*Type:* Quantity

**Format**

fractionDigits	29
totalDigits	30

**Used in element(s)**

"DigitalTokenUnit" on page 39

## 6.23 Max350Text



*Definition:* Specifies a character string with a maximum length of 350 characters.

*Type:* Text

**Format**

maxLength	350
minLength	1

**Used in element(s)**

"PlaceAndName" on page 77

## 6.24 Max35Text

*Definition:* Specifies a character string with a maximum length of 35 characters.

*Type:* Text

**Format**

maxLength	35
minLength	1

**Used in element(s)**

"Issuer" on page 40, "SchemeName" on page 40

## 6.25 Max4AlphaNumericText

*Definition:* Specifies an alphanumeric string with a maximum length of 4 characters.

*Type:* Text

**Format**

maxLength	4
minLength	1
pattern	[a-zA-Z0-9]{1,4}

**Used in element(s)**

"Issuer" on page 44, "Issuer" on page 41, "Issuer" on page 45, "Issuer" on page 60, "SchemeName" on page 44, "SchemeName" on page 42, "SchemeName" on page 45, "SchemeName" on page 60

## 6.26 Max70Text

*Definition:* Specifies a character string with a maximum length of 70 characters.

*Type:* Text

**Format**

maxLength	70
-----------	----

minLength

1

**Used in element(s)**["Name" on page 14](#)

## 6.27 NoReasonCode

*Definition:* Specifies that there is no reason available.*Type:* CodeSet

Code	Name	Definition
NORE	NoReason	No reason to report or no reason available to report.

**Used in element(s)**

["NoSpecifiedReason" on page 50](#), ["NoSpecifiedReason" on page 15](#), ["NoSpecifiedReason" on page 68](#),  
["NoSpecifiedReason" on page 57](#)

**Restricts**["SpecialPurposeCode" on page 150](#)

## 6.28 OptionFeatures12Code

*Definition:* Specifies the features that may apply to a corporate action option.*Type:* CodeSet

Code	Name	Definition
OPLF	OddLotPreference	Tender or exchange with the odd lot preference.

**Used in element(s)**["Code" on page 51](#)**Restricts**["OptionFeaturesCode" on page 122](#)

## 6.29 OptionFeaturesCode

*Definition:* Specifies the features that may apply to a corporate action option.*Type:* CodeSet

Code	Name	Definition
ASVO	AccountServicerOption	Option is offered by the account servicer only.
BOIS	BeneficiaryOwnerInstruction	Indicates that the holder needs to instruct at beneficiary owner level only.

Code	Name	Definition
CAOS	OptionApplicability	Option applicability is not subject to the account owner decision but depends on the terms defined by the issuer, for example in the case of equity linked notes or warrants.
COND	Conditional	Feature whereby the holder can elect to place a condition on the acceptance of the option.
FCFS	FirstComeFirstServed	Securities will be accepted in the order they have been submitted until the target number of quantity sought is reached.
MAXC	MaximumCash	Maximum cash option, may be subject to scaling, as such you may receive a combination of cash and securities outturn.
MAXS	MaximumSecurities	Maximum stock option, may be subject to scaling, as such you may receive a combination of securities and cash outturn.
NOSE	NoServiceOffered	Feature whereby the holder must elect directly to the issuer's agent (issuer only supported option).
OPLF	OddLotPreference	Tender or exchange with the odd lot preference.
PINS	PreviousInstructionInvalidity	Indicates the previously sent instructions becomes invalid. This is only applicable after a market deadline extension.
PROR	Proration	Feature whereby the option can be subject to pro ration in case, for example, of over-subscription.
QCAS	InstructCashAmount	Feature whereby the holder should only instruct a cash amount.
QOVE	OverAndAbove	Feature whereby the holder can elect a quantity to receive over and above normal ensured entitlement.
QREC	QuantityToReceive	Feature whereby the holder can elect a quantity to receive.
RGRS	GrossDividendReinvestment	Gross dividend is reinvested.
RNET	NetDividendReinvestment	Dividend reinvestment is processed net of withholding tax.
SHAR	ShareholderNumber	Indicates usage of a reference number to identify an investor or a shareholder with the issuer or the registration provider (for instance allocation code).
VVPR	ReducedWithholdingTax	Reduced withholding tax rate applies to the option.

**Is restricted by**

"OptionFeatures12Code" on page 122

## 6.30 OptionNumber1Code

*Definition:* Code identifying special corporate action option numbers.

*Type:* CodeSet

Code	Name	Definition
UNSO	Unsolicited	The corporate action instruction is unsolicited, that is, the instruction has not been preceded by a corporate action notification.

**Used in element(s)**

"Code" on page 52

**Restricts**

"OptionNumberCode" on page 124

## 6.31 OptionNumberCode

*Definition:* Code identifying special corporate action option numbers.

*Type:* CodeSet

Code	Name	Definition
UNSO	Unsolicited	The corporate action instruction is unsolicited, that is, the instruction has not been preceded by a corporate action notification.

**Is restricted by**

"OptionNumber1Code" on page 124

## 6.32 ParentCurrencyCode

*Definition:* Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

*Type:* CodeSet

**Format**

pattern [A-Z]{3,3}

**Is restricted by**

"ActiveCurrencyCode" on page 78

## 6.33 PendingCancellationReason9Code

*Definition:* Specifies the reason why the cancellation request has a pending status.

*Type:* CodeSet

Code	Name	Definition
ADEA	AccountServicerDeadlineMissed	<p>Transaction/instruction received after the account servicer's specified deadline.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/ReasonCode/Code/AccountServicerDeadlineMissed) is removed.</li> </ul>
DQCS	AmountRejection	<p>Unrecognised or invalid instructed cash amount.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/ReasonCode/Code/AmountRejection) is removed.</li> </ul>
DQUA	QuantityRejection	<p>Unrecognised or invalid instructed quantity.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/ReasonCode/Code/QuantityRejection) is removed.</li> </ul>
ECRD	ElectionToCounterpartyResponseDeadlineMissed	Received after the election to counterparty response market deadline.
LATE	MarketDeadlineMissed	<p>Received after market deadline.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/InstructionCancellationRequestStatus/PendingCancellation/Reason/ReasonCode/Code/MarketDeadlineMissed) is removed.</li> </ul>

Code	Name	Definition
		son/ReasonCode/Code/Market-DeadlineMissed) is removed.
OTHR	Other	Other. See Narrative.

**Used in element(s)**

"Code" on page 56

**Restricts**

"RejectionReasonV3Code" on page 130

## 6.34 ProtectInstructionStatus4Code

*Definition:* Specifies the status of the protect transaction.

*Type:* CodeSet

Code	Name	Definition
OPEN	Open	Protect instruction which has not been fully covered. Will include partial covers.

**Used in element(s)**

"ProtectTransactionStatus" on page 63

**Restricts**

"DTCTInstructionStatusCode" on page 116

## 6.35 ProtectTransactionType3Code

*Definition:* Specifies the type of protect instruction.

*Type:* CodeSet

Code	Name	Definition
PROT	ProtectTransaction	Reorganisation is a protect transaction type.

**Used in element(s)**

"TransactionType" on page 63

**Restricts**

"ReorganisationTransactionTypeCode" on page 142

## 6.36 RejectionReason90Code

*Definition:* Specifies the reason why the instruction/cancellation request has a rejected status.

Type: CodeSet

Code	Name	Definition
ADEA	AccountServicerDeadlineMissed	<p>Transaction/instruction received after the account servicer's specified deadline.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Code/AccountServicerDeadlineMissed</li> <li>– <b>Market Practice Implementation Rule:</b></li> </ul> <p>Used when DTCC cutoff (DTC Withdrawal Expiration Date and Time - 3 hours) is missed.</p>
CTCT	MissingContact	Contact information is missing.
DCAN	RejectedSinceAlreadyCancelled	<p>Cancellation request was rejected since the instruction has already been cancelled.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Code/RejectedSinceAlreadyCancelled</li> <li>– <b>Market Practice Implementation Rule:</b></li> </ul> <p>Used when instruction is already cancelled.</p>
DPRG	RejectedSinceInProgress	<p>Cancellation request has been rejected because the instruction process is in progress or has been processed.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Code/RejectedSinceInProgress</li> </ul>

Code	Name	Definition
		<p>– <b>Market Practice Implementation Rule:</b></p> <p>Used when instruction process is in progress or has been processed.</p>
DQUA	QuantityRejection	Unrecognised or invalid instructed quantity.
DSEC	InvalidSecurity	Unrecognised or invalid financial instrument identification.
DUPL	DuplicateInstruction	Instruction is rejected due to duplicate business message identifier.
ECMD	ElectionToCounterpartyMarketDeadlineMissed	<p>Received after the election to counterparty market deadline.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Code/ElectionToCounterpartyMarketDeadlineMissed) is removed.</li> </ul>
ECRD	ElectionToCounterpartyResponseDeadlineMissed	<p>Received after the election to counterparty response market deadline.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Code/ElectionToCounterpartyResponseDeadlineMissed) is removed.</li> </ul>
INIR	InstructionIrrevocable	Instruction is irrevocable.
LATE	MarketDeadlineMissed	<p>Received after market deadline.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/ReasonCode/Code/MarketDeadlineMissed) is removed.</li> </ul>



Code	Name	Definition
OTHR	Other	<p>Other. See Narrative.</p> <hr/> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/Reason-Code/Code/Other <ul style="list-style-type: none"> <li>– <b>Market Practice Implementation Rule:</b> <p>Used when none of the coded reasons can be applied and instruction is rejected. AdditionalReasonInformation must be used then.</p> </li> </ul> </li> </ul>
PROI	MissingProtectIdentification	Protect identification is required for cover protect instructions.
PROT	MissingProtectDate	Protect date is required for cover protect instructions.
REJA	RejectedByIssuerAgent	Instruction rejected by the issuer agent.
SAFE	SafekeepingAccountRejection	Unrecognised or invalid message sender's safekeeping account.
TRTI	MissingTransactionType	Transaction type is missing or invalid for protect or cover protect instructions.
ULNK	InvalidReference	<p>Linked reference is unknown.</p> <hr/> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• on seev.041.001.15/InstructionCancellationRequestStatus/Rejected/Reason/Reason-Code/Code/InvalidReference <ul style="list-style-type: none"> <li>– <b>DTCC Invalid Reference Rule:</b> <p>Used when the Business Message Identifier in Instruction Identification tag does not match the one that was received by DTCC on the original Instruction message.</p> </li> </ul> </li> </ul>

Used in element(s)

"Code" on page 67

**Restricts**

"RejectionReasonV3Code" on page 130

## 6.37 RejectionReasonV3Code

*Definition:* Specifies the reason why the instruction/cancellation request has a rejected status.

*Type:* CodeSet

Code	Name	Definition
ACRU	UnexpectedAccruedInterest	Accrued interest is not applicable for this type of security.
ADDM	AdditionalDocumentationMissing	Requested additional documentation is missing.
ADEA	AccountServicerDeadlineMissed	Transaction/instruction received after the account servicer's specified deadline.
ADIM	AdditionalDisclosureInformationMissing	(I)CSD failed to receive (from underlying) or provide (to the issuer agent) the disclosure information required.
AGID	NotDefinedAgent	Party is not defined as an agent.
AGIN	InvalidAgent	Invalid agent identification supplied.
ASTM	AgreementStartDate	Agreement start date is missing or invalid.
BACK	MissingBackEndOddLotQuantity	Back end odd lot quantity is missing.
BATC	ProcessingBatchRejection	Unrecognised or invalid processing batch, that is, daytime/real-time while only possible to settle in overnight batch.
BDAY	NotBusinessDay	Date is not a business day for the security market.
BENO	BeneficialOwnershipDisagreement	Disagreement in beneficial ownership.
BIDI	MissingBidInterval	Bid interval is missing.
BPAR	BusinessPartnerNumberRejection	Unrecognised or invalid business partner number.
BREF	BankReferenceNumberRejection	Unrecognised or invalid bank reference number.
BSTR	BeforeInstructionPeriod	Instruction is submitted before instruction start date.
BUMM	BuyerProtectionMismatch	Counterparty disagreement on the chosen corporate action outturn.
BUSE	TypeOfOrderRejection	Unrecognised or invalid type of order.
CADE	TransactionCallDelay	Unrecognised or invalid transaction call delay.
CADI	CalculationDifference	Primarily used when the Notice of Execution received by the buy-side contains fees, gross trade amount, net trade amount, etc., values that differ from the buy-side's calculations. Buy-side may re-

Code	Name	Definition
		ject the trade if they feel that the difference in calculations is too high.
CAEV	CorporateActionRejection	Corporate action pending on the financial instrument instructed.
CANC	OptionCancelled	Option is not valid; it has been cancelled by the market or service provider, and cannot be responded to. Any responses already processed against this option are considered void and new responses will be required.
CASA	NotIdentifiedCashAccount	Unable to identify cash account.
CASH	CashAccount	Unrecognised or invalid cash account.
CASY	ImpossibleCashSettlementSystem	Impossible standing arrangements override instruction for the cash settlement system.
CCIX	ClientCollateralInstructionIdentification	Unrecognised or invalid client collateral instruction identification.
CCTI	ClientCollateralTransactionIdentification	Unrecognised or invalid Client Collateral Transaction Identification.
CER0	CertificateAmountGreaterZero	Certificate Amount must be greater than zero.
CERT	IncorrectCertification	Instruction is rejected since the provided certification is incorrect or incomplete.
CINL	MissingCashInLieuPrice	Cash in lieu price is missing.
COMC	CommercializationContractRejection	Unrecognised or invalid commercialisation contract.
COND	MissingConditionalTendersAcceptedFlag	Conditional tenders accepted flag is missing.
CONL	ConcentrationLimitExceeded	Concentration limit was exceeded.
CORR	NotIdentifiedCorrespondentBank	Unable to identify correspondent bank.
CPTY	UnknownDealExposure	Deal or exposure is unknown.
CSAC	CompoundSimpleAccrualCalculationRejection	Compound simple accrual calculation is not supported.
CSRT	MissingCashRate	Cash rate is missing.
CTCT	MissingContact	Contact information is missing.
CTRA	ClosingTransactionAmount	Unrecognised or invalid closing closing amount.
DADR	AddressDetailsRejection	Address details are incorrect or cannot be recognised.
DCAN	RejectedSinceAlreadyCancelled	Cancellation request was rejected since the instruction has already been cancelled.
DCBR	DayCountBasis	Day count basis not supported.
DCUS	DeliveringCustodian	Unrecognised or invalid delivering custodian.

Code	Name	Definition
DDAT	SettlementDateRejection	Unrecognised or invalid settlement date.
DDEA	DealPrice	Unrecognised or invalid deal price.
DEAC	EventAlreadyDeactivated	Rejected as the deactivation of the event is already completed.
DEAO	OptionAlreadyDeactivated	Rejected as the deactivation of the option is already completed.
DEFE	InvalidDefeasedSecurityIdentifier	Invalid Defeased Security Identifier.
DEPO	DepositoryCalledAmountEqualSecurityCalledAmount	Depository Called Amount must be greater than zero and must be equal to Security Called Amount.
DEPT	ReceivingDeliveringDepository	Unrecognised or invalid depository.
DFLT	MissingDefaultOption	One option must be marked as the default.
DISC	DisagreeWithCallAmount	Party does not agree with the call amount.
DISE	DisagreeWithExposureAmount	Party does not agree with the exposure amount.
DISP	NotEligibleDisperseSecurity	Disperse security is not eligible in the (ICSD) service provider owner.
DMON	SettlementAmountRejection	Unrecognised or invalid settlement amount.
DORD	RegistrationRequestDataAndOrderRejection	Disagreement between the data on the registration request and the order.
DPRG	RejectedSinceInProgress	Cancellation request has been rejected because the instruction process is in progress or has been processed.
DQAM	InstructionTypeRejection	Invalid use of instructed amount (QCAS) or of instructed quantity (QINS) qualifiers.
DQBI	InvalidBidIncrement	Bid price / basis points / percentage increments rejected due to invalid bid increment for the event (generally used in Dutch Auctions or Bid Tenders).
DQBV	InvalidBidValue	Bid price / basis points / percentage falls outside of bid range for the event (generally used in Dutch Auctions or Bid Tenders).
DQCC	CurrencyRejection	Invalid instructed currency.
DQCS	AmountRejection	Unrecognised or invalid instructed cash amount.
DQUA	QuantityRejection	Unrecognised or invalid instructed quantity.
DREM	DeadlineToRegisterMissed	Deadline to register is missed.
DSEC	InvalidSecurity	Unrecognised or invalid financial instrument identification.

Code	Name	Definition
DSET	DeniedSinceAlreadySettled	Cancellation request was denied because the instruction was already settled.
DSNA	NoBuyerProtectionAllowed	Underlying transaction type/status does not allow for a buyer protection.
DTRD	TradeDate	Unrecognised or invalid trade date or requested trade date or future trade date.
DUCK	UnderlyingTransactionCancelled	Buyer Protection instruction rejected since underlying settlement transaction has been cancelled.
DUEV	DuplicateEvent	Duplicate event exists
DUPL	DuplicateInstruction	Instruction is rejected due to duplicate business message identifier.
DUST	UnderlyingTransactionAlreadySettled	Buyer Protection instruction was rejected, because the underlying settlement transaction has already been settled.
ECMD	ElectionToCounterpartyMarketDeadlineMissed	Received after the election to counterparty market deadline.
ECRD	ElectionToCounterpartyResponseDeadline-Missed	Received after the election to counterparty response market deadline.
EFDM	MissingOrIncorrectEntitlementFixingDate	Entitlement fixing date is missing or incorrect.
ELEA	ElectionAlreadyAmended	Election advice is already amended.
ELEC	ElectionAlreadyCancelled	Election advice is already cancelled.
ELIG	NonEligibleSecurity	Security is not eligible.
ENDP	MissingPeriodEndDate	Period ending date or code is missing.
EQTY	QuantityExceeds	Quantity in the execution exceeds the ordered quantity.
EVNM	UnrecognisedIdentification	Unrecognised event number.
EXCL	ClosedExchange	Exchange on which the financial instrument is traded is closed.
EXLI	ExceedsLimit	Countervalue of the order exceeds the allowed trading limit or quote exceeds limit.
FAIL	FailedValidation	Validation of the advice/instruction/request failed.
FAS0	DepositoryCalledAmountGreaterZero	Depository Called Amount must be greater than zero.
FEEE	FeeCommissionRejection	Unrecognised or invalid fee or commission.
FIRS	MissingFirstBidIncrement	First bid increment is missing.
FORF	ForfeitAmount	Unrecognised or invalid forfeit amount.
FRAC	MissingFractionalDisposition	Fractional disposition is missing.

Code	Name	Definition
FULL	MissingBeneficiaryOwnerDetails	Rejected due to missing beneficiary owner details.
GAMN	GrossAmountLessThanNetAmount	Gross amount is less than net amount.
IACT	IncorrectActivityType	Incorrect activity type specified, for example, pre-release conversion.
ICAG	ReceivingDeliveringParty1	Unrecognised or invalid participant of delivering or receiving depository.
ICID	InvalidCommonIdentification	Unrecognised or invalid common identification.
ICOL	InsufficientCollateral	Insufficient collateral proposed.
ICOP	IncorrectProgramConversion	Invalid or incorrect programme conversion specified.
ICTT	InvalidCollateralTransactionType	This is an unrecognised or invalid Collateral Transaction Type.
ICUS	ReceivingDeliveringParty2	Unrecognised or invalid client of delivering or receiving party 1.
IDIS	InvalidDisbursedSecurityIdentification	Disbursed security identification is missing.
IDRI	InvalidDisclosureRequestIdentification	Disclosure request identification is invalid or unknown.
IDRJ	InvalidDisclosureResponseIdentification	Disclosure response identification is invalid or unknown.
IESP	InvalidEligibilitySetProfile	This is an unrecognised or invalid Eligibility Set Profile.
IEXE	ReceivingDeliveringParty3	Unrecognised or invalid client of delivering or receiving party 2.
IEXT	InvalidExposureType	This is an unrecognised or invalid Exposure Type (used when a proprietary code is sent).
IIND	CommonReferenceRejection	Unrecognised, invalid or missing common reference.
INCR	InsufficientCredit	Requestor has no insufficient credit to make the trade.
INDE	InvalidCorporateActionInformation	Details specified in the corporate action general information block are inconsistent with those that were specified in the relating original message.
INDT	InvalidDetails	Message details specified in the instruction/request are inconsistent with those that were specified in the relating original message.
INET	InvalidEventType	Corporate action event type does not correspond with the relating corporate action.
INHO	InsufficientBalance	Insufficient balance.
INID	InvalidIdentification	Instruction contains an invalid message identification, identification is unknown.

Code	Name	Definition
INIR	InstructionIrrevocable	Instruction is irrevocable.
INMO	InvalidMovementInformation	Details specified in the movement general information block are inconsistent with those that were specified in the relating original message.
INMV	InvalidMandatoryVoluntaryEventType	Mandatory/voluntary event type does not correspond with the relating corporate action.
INNA	NarrativeInformationRejection	Unrecognised or invalid service level agreement pre-agreed narrative information.
INPR	InvalidPrice	Price does not comply with the financial instrument's characteristics.
INPS	PlaceOfSafekeeping	Unrecognised, invalid or missing place of safekeeping.
INPT	InvalidEventProcessingType	Event processing type does not correspond with the relating corporate action.
INSA	InstructionNotSupportedOrAllowed	Instruction is not supported or allowed.
INTE	Intermediary	Intermediary is not recognised or is invalid.
INTV	OptionInactive	Option is not active and can no longer be responded to. Any responses already processed against this option will remain valid, for example, expired option.
INUK	InvestorNameAddressUnknown	Investor name and address is not recognised.
INUS	InvalidUnderlyingSecurity	Underlying security identification does not correspond with the corporate action reference supplied.
INVA	InvalidForTaxAuthorities	For tax reclaim, the reclaim is invalid for the tax authorities.
INVB	InvalidBalance	Instruction aims at using an invalid balance.
INVE	InvalidInvestorParty	Unrecognised or invalid investor party. May be used by an executing party to reject an instruction for an investor (or portfolio) for which it is not authorised to act.
INVL	InvalidLink	Invalid or unrecognized link.
INVM	InvalidModificationRequest	Invalid or unrecognized modification request.
INVN	InvalidLotNumber	Invalid or unrecognized lot number.
IPAW	InvalidPaperwork	Required paperwork is invalid, incomplete or missing.
IPBI	InvalidPreferentialBasketIdentification	Unrecognised or invalid Preferential Basket identification.
IPED	InstructionPriorToEntitlementDate	Instruction was received prior to entitlement date.

Code	Name	Definition
IPOA	MissingOrInvalidPOA	Missing or invalid power of attorney.
IPOS	InsufficientThresholdPosition	Position is less than required threshold.
IRDQ	InvalidUseRoundUpQuantity	Instruction is rejected due to invalid use of the additional round up quantity.
IREG	RegistrationDiscrepancy	Invalid registration information.
IRIT	InvalidRateIndexType	Unrecognised or invalid Rate Index Type (used when a proprietary code is sent).
ISOL	InvalidSolicitationDealerFeeUse	Invalid use of solicitation dealer fee indicator.
ISSC	InvalidOrMissingIssuerAgentContactInformation	Issuer agent contact information is invalid or missing.
ISSR	MissingIssuerAgent	Issuer agent is missing.
ITAX	IncorrectTaxRate	Tax rate provided is incorrect. It falls outside the acceptable values for that investment country.
ITPA	InvalidTripartyAgent	Unrecognised or Invalid Triparty Agent
IVAG	ReceivingAgent	Receiving agent is not recognised or is invalid.
LACK	LackofSecurities	Instructed position exceeds the eligible balance.
LAST	MissingLastBidIncrement	Last bid increment is missing.
LATE	MarketDeadlineMissed	Received after market deadline.
LATT	Late	Instruction/Request arrives too late.
LBDR	LookbackDaysRejection	Number of lookback days not supported.
LEOG	LetterOfGuaranteeIndicatorRejection	Unrecognised or invalid letter of guarantee indicator instructed.
LIST	InvalidVoteInFavourInGroupListing	Instruction is invalid due to multiple resolutions instructed as vote "For" and belonging to the same listing group resolution label number.
LOCK	GlobalLock	Underlying Security has a global lock.
MAIN	NotMainAgent	Agent identification specified does not correspond to the main agent of the relating event.
MAXP	MissingMaximumPrice	Maximum price is missing.
MCAN	EventCancelled	Event has been cancelled.
MCER	MissingCertification	Certification has not been filled in.
MCRA	MissingCreditAuthorisation	Missing credit authorisation (for pre-release transactions).
MDIS	MissingDisbursedSecurityIdentification	Disbursed security identification is missing.
MFCF	MissingFullConditionalFlag	Full conditional flag is missing.



Code	Name	Definition
MICA	MismatchedCAIdentification	Issuer corporate action identification does not correspond with the corporate action identification supplied.
MINC	MissingInvestorClassificationDetails	Classification submitted in the instruction does not match the investor classification in the notification.
MINO	MinimumSettlementQuantity	Quantity instructed is lower than the minimum existing settlement quantity for the financial instrument.
MINP	MissingMinimumPrice	Minimum price is missing.
MISM	InvalidRequest	Statement/status advice request cannot be executed. The message type requested is not valid for the message reference or statement period concerned.
MLEG	MissingLegalPower	Missing legal power for transfer.
MONY	InsufficientMoney	Insufficient money in your account.
MOSE	MovementAlreadySettled	One or more of the underlying movements have already settled.
MPRI	MissingProrationRoundingIndicator	Proration rounding indicator is missing.
MTAX	MissingTaxRate	Tax rate is missing.
MUNO	MultipleSettlementQuantity	Quantity instructed is not a multiple of an existing settlement quantity lot for the financial instrument.
NACD	NotAcceptedEmailAddressMissing	Instruction to virtually attend meeting is rejected due to missing attendee email address.
NAMD	AmendmentNotAllowed	Amendment is not allowed.
NARR	NarrativeReason	See narrative field for reason.
NAUT	NotAuthorised	Permission to be processed is not granted.
NCAN	CancellationNotAllowed	Cancellation is not allowed.
NCON	ConvertibleSecurityNotSupported	Convertible Security Not Supported.
NCRR	SettlementAmountCurrencyRejection	Unrecognised or invalid settlement amount currency.
NDEF	InvalidNonDefeasedSecurityIdentifier	Invalid Non-Defeased Security Identifier.
NFCA	NotFoundCorrespondingAllegement	Instruction has been rejected as the corresponding allegement was cancelled.
NINS	NoInstrumentMarket	Referred instrument does not exist in combination with the mentioned market.
NINV	NoInventory	Requested financial instrument is not available.
NMAT	NoMatchInquiry	No counterparty order has been identified.
NMOD	CancelledEvent	Cancelled event cannot be modified.

Code	Name	Definition
NMTY	Mismatch	Mismatch between option number and option type.
NOAC	NoAccessToService	Agent has no access to the service.
NOAP	NotApplicable	Instruction type is not applicable for mandatory events.
NOHO	NoHolding	No holding for the specified underlying security.
NORO	NoRemainingOption	Specified corporate action has no remaining option to disable.
NOSL	NotRegisteredInInStockLedger	Invalid instruction as the shareholder or its delegate is not registered in the company stock ledger book.
NPAT	NonActiveParty	Party is not active.
NPOS	NoRegisteredPosition	Insufficient or no registered position.
NREF	InvalidNonRefundedSecurityIdentifier	Invalid Non-Refunded Security Identifier
NRGM	NoMatch	More than one instruction match the criteria.
NRGN	NotFoundRejection	Instruction could not be found.
NRJN	NotFoundRejectionForCancellation-ModificationOrTermination	Cancellation, modification or termination request has been rejected since the instruction could not be found.
NTAV	NotAvailable	Reason is not available or unknown.
NTAX	InconsistentTaxRate	Tax rate is not consistent with the documentation in place.
ODLT	MissingOddLotPriorityFlag	Odd lot priority flag is missing.
ODNP	OrderDateNotProvided	Order entry date is missing.
ONCV	OngoingConversionEventExists	Ongoing Conversion Event Exists
OPNM	OptionNumberRejection	Unrecognised option number.
OPTI	InvalidOption	Invalid combination of corporate action option code and corporate action option number.
OPTY	InvalidOptionType	Invalid option type.
OTHR	Other	Other. See Narrative.
OVCH	MissingOversubscriptionChargeFlag	Oversubscription charge flag is missing.
OVFL	MissingOversubscriptionFlag	Oversubscription flag is missing.
OVPR	MissingOversubscriptionPrice	Oversubscription price is missing.
OWNT	TypeOfOwnershipRejection	Type of ownership indicated is not correct.
PART	PartialVoteNotAllowed	Partial voting is not allowed.
PASS	Pass	Counterparty is not interested in the transaction.
PBAS	MissingPriceBasis	Price basis is missing.

Code	Name	Definition
PCAT	PendingCounterpartyAcceptance	Pending acceptance from the counterparty.
PDAY	EffectiveDayAfterPaymentDate	Effective date is after the payment date.
PDEA	NoPendingDeactivationInstruction	Cancellation request is rejected as there is no pending deactivation instruction.
PEDA	PendingDeactivation	Specified corporate action option already has a pending deactivation instruction.
PERI	PeriodEndDateBeforeStartDate	Period ending date is before period starting date.
PHYS	PhysicalSettlementImpossible	Physical settlement is impossible for the instructed financial instrument.
PLCE	PlaceOfTrade	Unrecognised or invalid place of trade.
PLIS	PlaceOfListing	Unrecognised or invalid place of listing. Used when the security identified is not listed on the market supplied.
PMNS	ParticipationMethodNotSupported	Instruction rejected due to the method of participation not supported by the account servicer.
PODU	PossibleDuplicate	Instruction has not been matched. It is a possible duplicate instruction.
PR1K	CashRateLessThanThousand	Zero Coupon Bond, Principal / Cash rate must be less than USD 1,000.00.
PRCH	MissingProtectChargeIndicator	Protect charge indicator is missing.
PRIC	PriceExceeds	Price in the execution exceeds the order price.
PRIN	InvalidPrincipalCashRate	Invalid Principal Cash Rate.
PROI	MissingProtectIdentification	Protect identification is required for cover protect instructions.
PRON	NoProtectPrivilege	No protect privilege for this event.
PROR	MissingProrationRate	Proration rate is missing.
PROT	MissingProtectDate	Protect date is required for cover protect instructions.
PRXY	ProxyCardDiscrepancy	Invalid proxy information.
PTYA	InvalidPartyA	Unrecognised or Invalid Party A.
PTYB	InvalidPartyB	Unrecognised or Invalid Party B
PTYP	MissingPayoutType	Payout type is missing.
PUBD	PublicationDate	Publication date must be earlier than payable date.
QUNP	QuantityUnitType	Quantity unit type is not provided.
RBIS	RejectedByIssuerOrRegistrar	Issuer or registrar has rejected the instruction.
RCUS	ReceivingCustodian	Unrecognised or invalid receiving agent.
RDTE	RecordDateAfterPaymentDate	Record date is after payment date.

Code	Name	Definition
REDT	RequestedExecutionDateTime	Invalid execution date/time
REFE	ReferenceRejection	Instruction has a reference identical to another previously received instruction.
REFI	InvalidCAIdentification	Invalid corporate action identification supplied.
REFR	InvalidNotificationIdentification	Invalid Notification Identification.
REFT	RefusedByTaxAuthorities	Reclaim is refused by the tax authorities.
REFU	InvalidRefundedSecurityIdentifier	Invalid Refunded Security Identifier.
REJA	RejectedByIssuerAgent	Instruction rejected by the issuer agent.
REPA	TerminationTransactionAmount	Unrecognised or invalid termination transaction amount.
REPO	RepurchaseRate	Unrecognised or invalid repurchase rate.
REPP	PremiumAmount	Unrecognised or invalid premium amount.
REQM	MissingRegistrationRequest	Registration request to be completed by the buyer and to be forwarded to the issuer is missing.
REQW	WrongRegistrationRequest	Registration request to be completed by the buyer and to be forwarded to the issuer is wrong. You have used the registration request of a different issuer/registrar.
RERT	RepurchaseRateType	Unrecognised or invalid repurchase rate type.
RESN	ResolutionNumberDiscrepancy	Resolution number provided discrepancy.
RESU	MissingResultingAmount	Resulting amount must be filled in as exchange rate is present.
RITR	MissingRightsTransferrableFlag	Rights transferrable flag is missing.
ROUN	MissingRoundingFactor	Rounding factor is missing.
RREA	DisagreementInRegistrationReason	Registration reason indicated is not correct.
RREP	RejectedSinceRepoEnded	Cancellation request was rejected because the repurchase was cancelled.
RSET	RejectedSinceAlreadySettled	Cancellation request was rejected because the instruction was already settled.
RSPR	SpreadRate	Unrecognised or invalid spread rate.
RTGS	ImpossibleToUseTheRTGSSystemInstructed	Not possible to use the RTGS system instructed (NRTG or YRTG).
SAFA	PartyASafekeepingAccount	Unrecognised or invalid Party A Safekeeping Account
SAFB	PartyBSafekeepingAccount	Unrecognised or Invalid Party B Safekeeping Account.

Code	Name	Definition
SAFE	SafekeepingAccountRejection	Unrecognised or invalid message sender's safekeeping account.
SAID	SameIdentification	Several messages with the same identification.
SAME	SameCAIdentification	Agent corporate action deactivation instruction with the same identification already exists.
SDUT	LackOfStampDuty	Required stamp duty information is missing.
SECO	MissingOption	Second option is mandatory.
SECT	WrongSecurityType	Security type does not match with the type of corporate action.
SEEQ	InvalidEquitySecurityType	Invalid Equity Security Type.
SEPR	SettlementProcessRejection	Unrecognised or invalid settlement process instructed.
SERT	MissingSecuritiesRate	Securities rate is missing.
SETR	SettlementTransactionRejection	Unrecognised or invalid settlement transaction type.
SETS	SettlementSystemMethodRejection	Unrecognised or invalid settlement system/method instructed.
SFEE	MissingSolicitationDealerFeeFlag	Solicitation dealer fee flag is missing.
SHAR	ShareholderNumberRejection	Unrecognised, missing or invalid shareholder number.
SIDE	WrongSide	Order is for the wrong side.
SIGN	InvalidSignature	Registration request does not have a valid signature of the owner of the financial instrument.
SPLT	SplitVoteNotAllowed	Split voting is not allowed.
SSID	StandingSettlementInstructionRejection	Standing Settlement Instruction is unknown or invalid.
STAM	NotStampedOrSigned	Financial instrument has not been stamped and/or duly signed.
STAN	InvalidStandingInstructionType	Invalid standing instruction type for the specified underlying security.
STAR	MissingPeriodStartDate	Period starting date or code is missing.
STAT	MissingStatutes	Missing statutes or commercial register or other legal documents.
SUCH	MissingSubscriptionChargeFlag	Subscription charge flag is missing.
SUPR	MissingSubscriptionPrice	Subscription price is missing.
SVNO	ServiceNotOffered	Service for which the information was sent is not offered.
TABC	TransactionAmountBreakdownCurrency	Transaction amount breakdown currency differs from transaction amount currency.

Code	Name	Definition
TERM	ClosingDateTimeRejection	Unrecognised or invalid closing date/time.
TMAC	TerminationAmountCurrency	Termination amount currency not supported.
TNAR	TransactionNoticeAlreadyAcceptedOrRejected	A message with the same Transaction Notice Reference, Market Member, and Intermediary has already been processed.
TNIU	TransactionNoticeIDUnknown	The combination of the Transaction Notice Reference, Market Member, and Intermediary is unknown.
TOLA	TooLate	Request has exceeded the allowed time frame.
TQHI	TradedQuantityHigherThanOriginalOrder-Quantity	Market member executed the order exceeding the requested quantity.
TQNP	TradedSecuritiesQuantity	Traded securities quantity not provided.
TRTI	MissingTransactionType	Transaction type is missing or invalid for protect or cover protect instructions.
TRTY	IncorrectTransactionType	Transaction type is incorrect.
TXAB	TransactionAmountBreakdown	Transaction amount breakdown does not equal the transaction amount.
TXAC	TransactionAmountCurrency	Transaction amount currency not supported.
TXST	TaxStatusRejection	Unrecognised or invalid tax status of the securities instructed.
UKWN	UnknownSymbol	Financial instrument's symbol has not been recognized.
ULNK	InvalidReference	Linked reference is unknown.
UNDI	InactiveUnderlyingSecurity	Inactive Underlying Security.
UNDM	UnderlyingSecurityNotEligible	Underlying Security is not eligible at Depository.
UNSP	MissingUnspecifiedPriceAllowed	Unspecified price allowed is missing.
VALR	InvalidRule	Account servicer validation rule rejection.
VALU	ValueDateBeforePaymentDate	Value date is before payment date.
VASU	VariableRateSupportRejection	Unrecognised or invalid variable rate support (repurchase agreement).
XRAT	MissingExchangeRate	Resulting amount is not allowed without an exchange rate.

**Is restricted by**

"PendingCancellationReason9Code" on page 124, "RejectionReason90Code" on page 126

## 6.38 ReorganisationTransactionTypeCode

*Definition:* Specifies the type of reorganisation transaction.

Type: CodeSet

Code	Name	Definition
COVA	CoverProtectDirectlyToAgentHeader-Transaction	Reorganisation is a cover protect directly to agent transaction type.
COVP	CoverOnBehalfOfAnotherParticipantTransaction	Reorganisation is a cover on behalf of another participant transaction type.
COVR	CoverProtectTransaction	Reorganisation is a cover protect transaction type.
PROP	ProtectOnBehalfOfAnotherParticipant-Transaction	Reorganisation is a protect on behalf of another participant transaction type.
PROT	ProtectTransaction	Reorganisation is a protect transaction type.
VOIT	VoluntaryOfferInstructionTransaction	Reorganisation is a voluntary offer instruction transaction type.

Is restricted by

"ProtectTransactionType3Code" on page 126

## 6.39 RestrictedFINActiveCurrencyAndAmount

*Definition:* A number of monetary units specified in an active currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 78

### Format

fractionDigits	5
minInclusive	0
totalDigits	14

### Rules

#### R20 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

**Used in element(s)**

"StatusCashAmount" on page 30

## 6.40 RestrictedFINDecimalNumber

*Definition:* Number of objects represented as a decimal number, for example, 0.75 or 45.6.

*Type:* Quantity

**Format**

fractionDigits	14
totalDigits	14

**Used in element(s)**

"Quantity" on page 59, "Unit" on page 37, "Unit" on page 36

## 6.41 RestrictedFINExact2Text

*Definition:* Specifies a character string with an exact length of 2 characters that must has a pattern XX|TS.

*Type:* Text

**Format**

length	2
pattern	XX TS

**Used in element(s)**

"Proprietary" on page 47

## 6.42 RestrictedFINImpliedCurrencyAndAmount

*Definition:* Number of monetary units specified in a currency where the unit of currency is implied by the context and compliant with ISO 4217. The decimal separator is a dot.

Note: a zero amount is considered a positive amount.

*Type:* Amount

**Format**

fractionDigits	5
minInclusive	0
totalDigits	14

**Used in element(s)**

"AmortisedValue" on page 38, "AmortisedValue" on page 53, "FaceAmount" on page 37, "FaceAmount" on page 53, "FaceAmount" on page 36



## 6.43 RestrictedFINMax15Text

*Definition:* Specifies a character string with a maximum length of 15 characters.

*Type:* Text

### Format

maxLength	15
minLength	1

### Used in element(s)

"TransactionIdentification" on page 63

## 6.44 RestrictedFINX2Max34Text

*Definition:* Specifies a character string with a maximum length of 34 characters limited to character set X, that is, a-z A-Z / - ? : ( ) . , ' + .

*Type:* Text

### Format

maxLength	34
minLength	1
pattern	[0-9a-zA-Z/\-?:\(\)\.,'\+ ]{1,34}

### Used in element(s)

"Proprietary" on page 17

## 6.45 RestrictedFINXMax140Text

*Definition:* Specifies a character string with a maximum length of 140 characters limited to character set X, that is, a-z A-Z / - ? : ( ) . , ' + .

*Type:* Text

### Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-?:\(\)\.,'\n\r\+ ]{1,140}

### Used in element(s)

"BlockchainAddressOrWallet" on page 27, "Description" on page 75

## 6.46 RestrictedFINXMax16Text

**Definition:** Specifies a character string with a maximum length of 16 characters. It has a pattern that disables the use of characters that is not part of the character set X, that is, that is not a-z A-Z / - ? : ( ) . , ' + , and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

**Type:** Text

#### Format

maxLength	16
minLength	1
pattern	<code>(([0-9a-zA-Z\-\?\:\(\)\.,'\+ ] ([0-9a-zA-Z\-\?\:\(\)\.,'\+ ]*([0-9a-zA-Z\-\?\:\(\)\.,'\+ ])?*))</code>

#### Used in element(s)

"AccountOwnerDocumentIdentification" on page 33, "AccountServicerDocumentIdentification" on page 33, "ClassActionNumber" on page 21, "CorporateActionEventIdentification" on page 20, "Identification" on page 34, "OfficialCorporateActionEventIdentification" on page 20

## 6.47 RestrictedFINXMax210Text

**Definition:** Specifies a character string with a maximum length of 210 characters limited to character set X, that is, a-z A-Z / - ? : ( ) . , ' + .

**Type:** Text

#### Format

maxLength	210
minLength	1
pattern	<code>[0-9a-zA-Z\-\?\:\(\)\.,'\+ ]{1,210}</code>

#### Used in element(s)

"AdditionalReasonInformation" on page 16, "AdditionalReasonInformation" on page 70, "AdditionalReasonInformation" on page 58, "AdditionalReasonInformation" on page 61

## 6.48 RestrictedFINXMax30Text

**Definition:** Specifies a character string with a maximum length of 30 characters. It has a pattern that disables the use of characters that is not part of the character set X, that is, that is not a-z A-Z / - ? : ( ) . , ' + , and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

**Type:** Text

#### Format

maxLength	30
minLength	1
pattern	<code>(([0-9a-zA-Z\-\?\:\(\)\.,'\+ ] ([0-9a-zA-Z\-\?\:\(\)\.,'\+ ]*([0-9a-zA-Z\-\?\:\(\)\.,'\+ ])?*))</code>

**Used in element(s)**

["Identification" on page 43](#), ["Identification" on page 73](#), ["Identification" on page 46](#)

## 6.49 RestrictedFINXMax31Text

*Definition:* Specifies a character string with a maximum length of 31 characters limited to character set X, that is, a-z A-Z / - ? : ( ) . , ' + .

*Type:* Text

**Format**

maxLength	31
minLength	1
pattern	[0-9a-zA-Z\-\?:\(\)\.,'\+ ]{1,31}

**Used in element(s)**

["Identification" on page 54](#)

## 6.50 RestrictedFINXMax34Text

*Definition:* Specifies a character string with a maximum length of 34 characters. It has a pattern that disables the use of characters that is not part of the character set X, that is, that is not a-z A-Z / - ? : ( ) . , ' + , and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

*Type:* Text

**Format**

maxLength	34
minLength	1
pattern	(([0-9a-zA-Z\-\?:\(\)\.,'\+ ] ([0-9a-zA-Z\-\?:\(\)\.,'\+ ]*([0-9a-zA-Z\-\?:\(\)\.,'\+ ])?*))

**Used in element(s)**

["Identification" on page 45](#)

## 6.51 RestrictedFINXMax350Text

*Definition:* Specifies a character string with a maximum length of 350 characters limited to character set X, that is, a-z A-Z / - ? : ( ) . , ' + .

*Type:* Text

**Format**

maxLength	350
minLength	1
pattern	[0-9a-zA-Z\-\?:\(\)\.,\n\r,'\+ ]{1,350}

**Used in element(s)**

["AdditionalText" on page 22](#), ["PartyContactNarrative" on page 22](#)

## 6.52 RestrictedFINXMax35Text

*Definition:* Specifies a character string with a maximum length of 35 characters limited to character set X, that is, a-z A-Z / - ? : ( ) . , ' + .

*Type:* Text

**Format**

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-?\:\(\)\.,'\+ ]{1,35}

**Used in element(s)**

["SafekeepingAccount" on page 26](#)

## 6.53 SafekeepingPlace1Code

*Definition:* Specifies the type of place of safekeeping.

*Type:* CodeSet

Code	Name	Definition
CUST	SharesHeldAtLocalCustodian	Financial instruments held at a local custodian.
ICSD	SharesHeldAtICSD	Financial instruments held at an International Central Securities Depository.
NCSD	SharesHeldAtNCSD	Financial instruments held at a National Central Securities Depository.
SHHE	SharesHeldElsewhere	Used for certain financial instruments, for example, US mutual funds, where settlement is internal only, that is, there is no external movement of securities.

**Used in element(s)**

["SafekeepingPlaceType" on page 72](#)

**Restricts**

["SafekeepingPlaceCode" on page 149](#)

## 6.54 SafekeepingPlace2Code

*Definition:* Specifies the type of place of safekeeping.

*Type:* CodeSet

Code	Name	Definition
ALLP	AllPlaces	All places of safekeeping where the financial instrument is held.
SHHE	SharesHeldElsewhere	Used for certain financial instruments, for example, US mutual funds, where settlement is internal only, that is, there is no external movement of securities.

**Used in element(s)**

"SafekeepingPlaceType" on page 73

**Restricts**

"SafekeepingPlaceCode" on page 149

## 6.55 SafekeepingPlaceCode

*Definition:* Specifies the type of place of safekeeping.

*Type:* CodeSet

Code	Name	Definition
ALLP	AllPlaces	All places of safekeeping where the financial instrument is held.
CUST	SharesHeldAtLocalCustodian	Financial instruments held at a local custodian.
ICSD	SharesHeldAtICSD	Financial instruments held at an International Central Securities Depository.
NCSD	SharesHeldAtNCSD	Financial instruments held at a National Central Securities Depository.
SHHE	SharesHeldElsewhere	Used for certain financial instruments, for example, US mutual funds, where settlement is internal only, that is, there is no external movement of securities.

**Is restricted by**

"SafekeepingPlace1Code" on page 148, "SafekeepingPlace2Code" on page 148

## 6.56 ShortLong1Code

*Definition:* Specifies whether the securities position is short or long, that is, whether the balance is a negative or positive balance.

*Type:* CodeSet

Code	Name	Definition
LONG	Long	Position is long, that is, the balance is positive.

Code	Name	Definition
SHOR	Short	<p>Position is short, that is, the balance is negative.</p> <p><b>Usage Guideline restrictions for this code</b></p> <ul style="list-style-type: none"> <li>• This code(seev.041.001.15/CorporateActionInstruction/Instructed-Balance/ShortLongPosition/Short) is removed.</li> <li>• This code(seev.041.001.15/CorporateActionInstruction/UninstructedBalance/ShortLongPosition/Short) is removed.</li> <li>• This code(seev.041.001.15/CorporateActionInstruction/TotalEligible-Balance/ShortLongPosition/Short) is removed.</li> </ul>

**Used in element(s)**

["ShortLongPosition" on page 76](#)

**Restricts**

["ShortLongCode" on page 150](#)

## 6.57 ShortLongCode

*Definition:* Specifies whether the securities position is short or long, that is, whether the balance is a negative or positive balance.

*Type:* CodeSet

Code	Name	Definition
LONG	Long	Position is long, that is, the balance is positive.
SHOR	Short	Position is short, that is, the balance is negative.

**Is restricted by**

["ShortLong1Code" on page 149](#)

## 6.58 SpecialPurposeCode

*Definition:* Specifies special purpose codes.

*Type:* CodeSet

Code	Name	Definition
ANYM	AnyMIC	Any MIC code.
APPL	Applicable	Applicable.
BLNK	Blank	Blank value.
FALS	False	Negative indication.
NOAP	NotApplicable	Not applicable (N/A).
NORE	NoReason	No reason to report or no reason available to report.
NORP	NotReported	Value not reported by the party.
NTAV	NotAvailable	Not available (N/A).
TRUE	True	Positive indication.

**Is restricted by**

"NoReasonCode" on page 122

## Legal Notices

### Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

### Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

### Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.